CARTON

WILSON®
RIDDEX®
Mouse Bait Station
PRE-FILLED

Kills House Mice

SOLID RODENTICIDE

This bait station is not tamper-resistant Use indoors only in areas inaccessible to children and pets

DOMESTIC

REG. NO. 30877 P.C.P. ACT

GUARANTEE: Chlorophacinone 0.005% Warning, contains the allergens peanuts, wheat, soy and fish.

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

20 – 28 g bait [1 disposable bait station containing 20 (to 28 g) of bait] [up to 30 disposable bait stations]

Sure-Gro IP Inc./
Lic. Premier Tech Home & Garden Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

NOTE: Text in "[Italics]" represent Optional or Alternative Text

DIRECTIONS FOR USE / USE LIMITATIONS: Use Wilson® Riddex® Mouse Bait Station Pre-Filled for the control of House mice INDOORS IN LOCATIONS NOT ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, OR NON-TARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS. DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Selection of Treatment Areas: [House mice are excellent climbers and will infest all floors in a structure. Mice will only range approximately 10 m from their nesting area seeking food.] Place bait in locations mice travel and will most likely find and consume the bait. Placement along walls, in corners, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Remove bait station from package and place in horizontal position with side against wall, exposing entrance. Place 2 bait stations every 2-4 m within the treatment area. If a bait placement is not disturbed after several days, move the placement approximately 1 meter. Four (4) bait stations per placement may be necessary at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease. Replace bait stations if contents are consumed or contaminated. Wearing rubber gloves, collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS. This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, for all cases of human ingestion call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion is a suggested remedial treatment for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE AND DISPOSAL: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Wrap used or damaged bait stations and discard in household garbage. DO NOT use damaged bait station.

RODENT DISPOSAL: Dead rodents should be securely wrapped and placed in closed containers and disposed of in the garbage. Otherwise, securely wrap carcasses and bury to a depth that will make them inaccessible to scavengers

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.pthomeandgarden.com

OPTIONAL MARKETING STATEMENTS

Contains BitrexTM
Contains Bittering Agent
Clear station allow bait to be seen
Clear station for monitoring bait
Covered Design
No need to touch the bait when placing station
Helps reduce mess and crumbs
Ready to use
No set-up
No Assembly required
Pre-filled bait station(s)

Can use in (Designed for) (Perfect for) Kitchens (Bathrooms) (Basements) (living rooms) (Laundry rooms), in inaccessible areas consistent with "USE INSTRUCTIONS" in the "DIRECTIONS FOR USE"

Use inside cabinets, in closets, garages, attics and behind or under stoves and refrigerators, in inaccessible areas consistent with "USE INSTRUCTIONS" in the "DIRECTIONS FOR USE"

Use in (Perfect for) Tight Spaces, in inaccessible areas consistent with "USE INSTRUCTIONS" in the "DIRECTIONS FOR USE"

Kills House Mice
Kills house mice – dead
BitrexTM is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland

WILSON® RIDDEX® Mouse Bait Station PRE-FILLED

DOMESTIC

REG. NO. 30877 P.C.P. ACT

GUARANTEE: Chlorophacinone 0.005%

WARNING



POISON

Warning, contains the allergens peanuts, wheat, soy and fish.

READ ENTIRE LABEL ON THE OUTER PACKAGING BEFORE USE KEEP OUT OF REACH OF CHILDREN

20 - 28 g

Sure-Gro IP Inc./
Lic. Premier Tech Home & Garden Inc.
P.O. Box 21001
Brantford, ON N3R 7W9
1-800-268-2806

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.