

2018-2116  
2019-01-23

**KNOCK DOWN  
HORNET & WASP BLASTER SPRAY KILLER**

PRESSURIZED PRODUCT

DOMESTIC

ACTIVE INGREDIENT:

Tetramethrin 0.20%  
D-Phenothrin (Sumithrin™) 0.125%  
REG. NO. 30965 *PEST CONTROL PRODUCTS ACT*

NET CONTENTS \_\_\_\_\_ g

DANGER



EXTREMELY FLAMMABLE    EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN AND PETS

KUUS INC  
UNIT 5&6, 450 Tapscott Road  
Scarborough, ON M1B 1Y4  
1-800-267-0455  
[www.knockdownbugs.com](http://www.knockdownbugs.com) [www.mosquitoshield.com](http://www.mosquitoshield.com)  
(Value added Family products) TM  
Proudly Made in Canada  
Manufacturers of Mosquito Shield Insect Repellants

This product can be used to kill wasp, hornet and yellowjacket nests, in trees or attached to buildings

2018-2116  
2019-01-23

**OPTIONAL STATEMENTS**

- Kills wasps, yellowjackets, and hornets on contact
- 360 degree spray action
- Gives rapid contact kill and residual kill of wasps and hornets returning to the treated nest
- Reaches nests more than 20 feet above ground
- Dielectric Breakdown Voltage: 41.0 KV by ASTM Test Method D-877-87
- 20ft Blaster
- Kills Entire Nest
- Kills Insects returning to nest
- Up to 20ft spray distance
- Dielectric application: 41.0KV

DIRECTIONS FOR USE  
USE ONLY AS DIRECTED ON THIS LABEL  
NOT FOR USE INSIDE DWELLINGS

Do not treat when food is present. Clean treated surfaces before being used to prepare food.

Shake well before using. Use only for spot, perimeter or crack and crevice applications. A spot treatment is made to a localized surface area not greater than 0.2 m<sup>2</sup>. Spots are not to be adjoining and the total area of spots is not to exceed 10% of the surface area being treated (for example, floors, walls, ceilings). A crack and crevice application is made into narrow openings on the surfaces of the structure. Such openings commonly occur at expansion joints, utility entry points and between different elements of construction (for example, baseboards, moulding). An exterior perimeter/band application of a pest control product is made as a band or strip less than 1 m wide.

For Control of Nests of Wasps, Yellowjackets, and Hornets: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest and spray into the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. After 48 hours, wear gloves to remove the treated nest. Foliage of desirable plants that were contacted with spray should be hosed off.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Causes moderate eye irritation. May

2018-2116  
2019-01-23

irritate skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs.  
Do not contaminate food containers, utensils, and food preparation areas.

This pesticide is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.  
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 50° may cause bursting.

**FIRST AID: If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

**ENVIRONMENTAL HAZARDS:** Toxic to aquatic organisms. Toxic to bees. Do not spray bees.. This product is intended for use on yellow jackets, hornets and wasps only.

**DISPOSAL:** Do not reuse empty container. When container is empty, press valve to release all remaining pressure. Wrap container in several layers of newspaper and discard in garbage.

**STORAGE:** Store in a cool dry area away from heat or open flame.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.