

2019-6525
2020-04-28
Neogen Corporation
620 Leshar Place
Lansing, MI 48912
Medical: 1-800-498-5743
?: 1-800-621-8829

DOMESTIC
NET CONTENTS: xx g (X ounce)
READ THE LABEL BEFORE USING
REG. No.: 31939 PCP ACT



Prozap[®] Pet Guard

FOR USE ONLY ON DOGS AND CATS
Kills Fleas, Ticks, Flies and Gnats on Dogs and Cats

SOLUTION
INSECTICIDE SPRAY

ACTIVE INGREDIENT:

Pyrethrins	0.100%
Piperonyl Butoxide	0.194%
N-Octyl Bicycloheptene dicarboximide	0.336%

KEEP OUT OF REACH OF CHILDREN

CAUTION



FLAMMABLE

FIRST AID: HUMANS:

If swallowed: call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled: move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat Symptomatically.

PRECAUTIONS: PHYSICAL AND CHEMICAL HAZARDS: Caution Flammable: Keep away from open flames or sparks.

Use ONLY in well-ventilated area, preferably outdoors. **DO NOT** allow product to contact non-target surfaces.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. May irritate eyes, nose and throat. Avoid contact with mouth, eyes, skin and clothing. Avoid breathing fumes or vapours. Wear rubber gloves during application of this product. Avoid contact with treated animals until dried. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Avoid direct spray of dog's or cat's mouth, face, eyes and genitals.

Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

DIRECTIONS: Use ONLY in a well-ventilated area, preferably outdoors. **DO NOT** apply to surfaces that may come in contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment. Shake well before using. Hold container in upright position 25 to 30 cm from pet and spray entire body beginning at tail and working towards the head. Do NOT spray animal's face, eyes or genitalia. As you spray, fluff the hair of the pet so that spray will penetrate to the skin, but spray only until hair is damp—not wet. Spray ticks directly. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. Do NOT use on dogs or cats under 12 weeks of age. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Do NOT use this spray more often than once every 2 weeks. Treatment must be repeated only if the pest problem persists or reoccurs. Repeat every 2 weeks for continual pest control in situations where there is an ongoing risk of pest infestation.

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

DISPOSAL: DO NOT REUSE EMPTY CONTAINER. Wrap empty container and discard in regular household garbage.