

2019-5240  
2020-02-26

This product has been cancelled effective as of 31 May 2023.  
Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

**ORTHO®**  
**WASP B GON™ MAX**  
**WASP KILLER FOAM**

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE

JET STREAM - NON STAINING - WATER BASED

FOR OUTDOOR USE TO KILL BEES AND WASPS (INCLUDING HORNETS AND YELLOWJACKETS) IN THEIR NESTS

Spray nests safely from 2-2.5 m (6-8 feet)

DOMESTIC

ACTIVE INGREDIENTS:

Pyrethrins .....	0.050%
N-Octyl Bicycloheptene Dicarboximide .....	0.250%
Permethrin .....	0.200%

REG. NO.: 32110 P.C.P. ACT

100-600 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

Scotts Canada Ltd.  
2000 Argentia Road  
Plaza #2, Suite 300  
Mississauga, Ontario  
L5N 1V8  
1-800-668-5669

2019-5240

2020-02-26

**DIRECTIONS FOR USE:**

SHAKE CAN WELL BEFORE USING.

**Application instructions:** For Outdoor Use to kill Bees and Wasps (including hornets and yellow jacket) in their nest. The best time to apply the product to nests is in late evening or early morning, during cooler temperatures, and when most bees and wasps are at rest inside the nest. Observe for little activity around the nest opening. DO NOT stand directly under the nest. Treated insects may fall out of the nest and die. Apply only if there is little to no wind or breeze. From a distance of 2 to 2.5 metres (6-8 feet), with any light wind or breeze coming from behind, point actuator button in the direction of the insect nest. Depress nozzle, and continue spraying until the opening of the nest is completely covered with the insecticide foam. Because the insects will now be unable to leave the nest, fill the nest space (or void where nest is located) with the insecticide foam. Wait at least 48 hours or until no signs of activity before removing the nest. Treatment must only be repeated if pest problem persists or reoccurs.

**Restrictions:** For outdoor use only. DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty. DO NOT apply when people, pets or livestock are present. DO NOT allow people, pets or livestock to enter treated areas until sprays have dried. DO NOT allow spray to drip or allow drift onto non-target surfaces. Avoid spraying vegetation and non-target structural surfaces. Hose off any plants or non-target structural surfaces that are contacted with foam with water. DO NOT apply to people, pets, livestock or sources of electricity. DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment. DO NOT use as a space spray or broadcast application.

**PRECAUTIONS:**

KEEP OUT OF REACH OF CHILDREN. May cause eye or skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Do not inhale spray mist. Wash thoroughly with soap and warm water after using. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not store or use above 50°C as container may burst. Avoid freezing. Do not puncture or incinerate container. Do not apply this product around equipment due to possibility of shock hazard.

**ENVIRONMENTAL PRECAUTIONS:**

Toxic to aquatic organisms. Toxic to birds and wildlife. Toxic to bees. Toxic to beneficial insects.

**FIRST AID:**

**If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20

2019-5240

2020-02-26

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

**DISPOSAL:**

When container is empty, press button to release all pressure. Do not re-use. Do not throw into fire. Wrap in newspaper and then discard in household garbage.

**Scotts No-Quibble Guarantee®**

If for any reason you are not satisfied after using this product, please call our customer service line at the number below for a full refund with proof of purchase.

Product Use Information: 1-800-668-5669

Website: [www.ortho.ca](http://www.ortho.ca)

® used under license by Scotts Canada Ltd.

™ used under license by Scotts Canada Ltd.

© 2016 Scotts Canada Ltd. World rights reserved.