SUPERIOR Control Products Inc.

NET CONTENTS: 400 g

**DOMESTIC** 

SUPER HUNTER HORNET & WASP FOAM INSECTICIDE II

Blankets wasp and hornet nest.

Jet stream. Spray nests safely from 2-2.5 meters (6-8 feet)

FAST ACTION – USER FRIENDLY – SPRAYS 360<sup>o</sup>

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

REG. NO. 32741 P.C.P. ACT

## **GUARANTEE**:

Pyrethrins	0.050 %
N-octyl bicycloheptene dicarboximide	0.250 %
Permethrin	0.200 %

**CAUTION** 

(logo)

**EXPLOSIVE** 

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Made for: SUPERIOR CONTROL PRODUCTS INC 3715 rue La Fayette (est), Boisbriand, QC J7H 1N5 888-689-2171 DIRECTIONS FOR USE: SHAKE CAN WELL BEFORE USING. Remove protective cap and insert "applicator" wand into spray nozzle before using.

FOR CONTROL OF WASP, YELLOW JACKETS & HORNETS. From a distance of 2 to 2.5 meters (6-8 feet), with the wind coming from behind, point applicator wand in direction of the insect nest. Depress nozzle, and continue spraying until the opening of nest is completely covered with the insecticide foam. Because the insects will now be unable to leave the nest, insert the applicator wand into the nest opening and fill the space (or void where nest is located) with the insecticide foam. If the nest is accessible, allow sufficient time for insects to become inactive before destroying the nest. APPLICATION TO NEST SHOULD BE MADE IN LATE EVENING OR EARLY MORNING WHEN INSECTS ARE AT REST.

<u>LIMITATIONS</u>: Do not use inside homes, on humans or animals. Do not use as a space spray.

## **Use Tips:**

Spray only if there is no wind or breeze. Avoid spraying vegetation directly. Rinse with water any desirable foliage that is contacted with spray.

Application to vinyl and aluminum siding may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Always pre-test a small inconspicuous area to be treated, for colour fastness and staining. Pre-test siding. Evaluate 30 minutes after test application for potential staining. Never apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of day.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May cause eye or skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Do not inhale spray mist. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. Wash thoroughly with soap and water after using. Do not allow children or pets to contact treated areas until surfaces are thoroughly dry. Cover or remove exposed food before use. Do not contaminate food, food containers, utensils, food preparation areas. Remove pets and cover ornamental fish ponds before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other source of heat. Do not store or use above 50°C as container may burst. Avoid freezing. Do not puncture or incinerate container. Do not use this product in or on electrical equipment due to possibility of shock hazard.

FIRST AID: IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure. Do not re-use. Do not throw into fire. Wrap in newspaper and then discard in household garbage.