

2023-2273

2024-02-22

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "02/03/2025" in accordance with the phase out period set out in RVD2023-06. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2273
2024-02-22

ELIMINATOR PLUS
HORNET & WASP FOAM INSECTICIDE II

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

DOMESTIC

FOR OUTDOOR USE TO CONTROL WASPS, HORNETS AND YELLOW JACKETS IN THEIR
NESTS

ACTIVE INGREDIENTS:

Pyrethrins	0.050 %
N-octyl bicycloheptene dicarboximide	0.250 %
Permethrin	0.200 %

REG. NO. 32743 P.C.P. ACT

NET CONTENTS: 400 g

CAUTION

(logo)

EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Made for:
Groupe BMR Inc.
1501, Rue Ampere, Bureau 200
Boucherville QC J4B 5Z5
819-379-8555

2023-2273
2024-02-22

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE:

For use outdoors to control wasps, yellow jackets and hornets in their nests.

GENERAL DIRECTIONS:

SHAKE CAN WELL BEFORE USING. Remove protective cap and insert “applicator” wand into spray nozzle before using. Wait approx. 30 seconds before spraying.

Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. When applied indoors, good sanitary practices should be maintained to prevent re-infestation.

The application of this product to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Always pre-test a small inconspicuous area to be treated for colour fastness and staining. Evaluate 30 minutes after test application for potential staining. Regardless of the test results, **DO NOT** apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of the day. (**DO NOT** apply to tapestries, wallpaper or similar materials that may be stained).

Use Limitations

- **DO NOT** use inside buildings.
- **DO NOT** use as a space spray.
- **DO NOT** apply when people or pets are present.
- **DO NOT** allow people or pets to enter treated areas until sprays have dried.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs). Avoid spraying vegetation and non-target structural surfaces. Hose off any plants or non-target structural surfaces that are contacted with foam with water.
- **DO NOT** apply to any body of water.
- **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.

OUTDOOR USE:

TO CONTROL WASPS (INCLUDING HORNETS AND YELLOW JACKETS) IN THEIR NEST:

2023-2273

2024-02-22

The best time to apply the product to nests is in late evening or early morning, during cooler temperatures, and when most insects are at rest inside the nest. Observe for little activity around the nest opening. **DO NOT** stand directly under the nest. Treated insects may fall out of the nest and die. Apply only if there is little to no wind or breeze. From a distance of 2 to 2.5 m, with any light wind or breeze coming from behind, point actuator button with or without the applicator in the direction of the insect nest. Depress trigger, and continue spraying until the opening of the nest is completely covered with the insecticide foam. Because the insects will now be unable to leave the nest, insert the applicator into the nest opening and fill the nest space (or void where nest is located) with the insecticide foam. Wait at least 48 hours or until no signs of activity before removing the nest. **DO NOT** exceed 9 seconds per m². Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes and clothing. **DO NOT** inhale spray mist. Wash thoroughly with soap and water after using. Cover fishbowls when spraying. **DO NOT** contaminate animal feeding areas. Contents under pressure. **DO NOT** place in hot water or near radiators, stoves or other source of heat or store at temperatures above 50°C as container may burst. **DO NOT** puncture or incinerate container or spray near open flame or spark, or while smoking.

FIRST AID: IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by a poison control centre or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

TOXICOLOGICAL INFORMATION:

This product contains petroleum distillate. Skin exposure may cause transient sensations (tingling, burning itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. Vomiting may cause aspiration pneumonia. Treat symptomatically.

STORAGE:

Store this product away from food or feed food or feed.

DISPOSAL: When container is empty, press button to release all pressure. **DO NOT** reuse the empty containers. **DO NOT** puncture or incinerate. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.