SBWT-CN WATER TREATMENT MICROBIOCIDE

Controls bacteria, fungi, and algae in industrial recirculating cooling water systems and controls slime-forming bacteria and fungi in industrial air-washer systems.

INDUSTRIAL



GUARANTEE: 2,2-Dibromo-3-nitrilopropionamide....40%

POTENTIAL SKIN SENSITIZER

REGISTRATION NO. 32902

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

Chemicals Incorporated 13560 Colombard Court Fontana CA 92337 USA

In case of emergency endangering life or property involving this product call collect: 1-800-535-5053

Net Contents: 5 kg (11.0 lb) 200g Water-Soluble Bag x 2 5

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

CAUSES SEVERE EYE DAMAGE • EYE CONTACT MAY CAUSE LOSS OF VISION • MAY BURN THE SKIN • HARMFUL IF SWALLOWED • POTENTIAL SKIN SENSITIZER

Do not get in eyes, on skin, or on clothing • Chemical Worker's goggles must be worn when handling or working near this chemical • Gloves must be worn when handling • Wash thoroughly after handling • Wear a long -sleeve shirt, long pants and shoes plus socks when handling • Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet • Users should remove clothing immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing separate from other laundry prior to reuse • Users should remove protective clothing immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IN CASE OF EYE CONTACT: Hold eye open and rinse slowly and gently with water for 30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
IN CASE OF SKIN CONTACT: Take off contaminated clothing. Rinse skin immediately with plenty of water for 30 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat Symptomatically

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority.

STORAGE

To maintain product quality, store at temperatures below 35 ° C. Keep polyethylene liner closed when not in use.

DO NOT SHIP, STORE, OR ALLOW ANY CONTACT WITH FOOD, DRINKING WATER, FEEDS, DRUGS NOT FOR USE IN POTABLE WATER

DISPOSAL

- 1. Triple or pressure rinse the empty container. Add the rinsings to the treatment site.
- 2. Follow provincial instructions for any additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE

For Industrial use only.

INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS

This product is for recirculating water systems only.

NOTE: Direct contact of SBWT-CN Water Treatment Microbiocide with a metal surface in the cooling system will cause local corrosion. To prevent corrosion, place a tablet of SBWT-CN Water Treatment Microbiocide in the holder provided (or equivalent) and suspend/float in the water so the tablet is completely submerged (additional holders may be obtained from Chemicals Inc. SBWT-CN Water Treatment Microbiocide is best used in the basin of the cooling system, in an area with little turbulence. Avoid placing SBWT-CN Water Treatment Microbiocide in direct sunlight.

To control bacteria, fungi, and algae in clean to moderately contaminated systems, add one tablet per 1925-3850 litres (500-1000 gallons) of water in the system. Heavily contaminated systems may require two tablets per 1925-3850 litres (500-1000 gallons) of water. EACH TABLET OR GROUP OF TABLETS OF SBWT-CN Water Treatment Microbiocide WILL PROVIDE APPROXIMATELY 3 WEEKS

OF CONTROL. Add additional tablet(s) of SBWT-CN Water Treatment Microbiocide per 1925-3850 litres (500-1000 gallons) of water in the system every 3 weeks, or as needed to maintain control. Do not cut or divide individual tablets. SBWT-CN Water Treatment Microbiocide should be added to the system at a rate of one tablet per 1925-3850 litres (500-1000 gallons) of water in the system. Each tablet will provide approximately 3 weeks of control per 1925-3850 litres (500-1000 gallons) of water. NOTE: Direct contact of metal with SBWT-CN Water Treatment Microbiocide should be prevented. Place tablets in holders such as the one provided. These holders prevent direct contact with metal surfaces and keep tablets near the surface, allowing easy observation. Additional holders may be obtained from Chemicals Inc.

INDUSTRIAL AIR-WASHER SYSTEMS

For control of slime-forming bacteria and fungi, add one to two tablets per 1925 litres (500 gallons) of water in the system, depending on the severity of the contamination. Each tablet or group of tablets will provide approximately 3 weeks of control. Badly fouled systems must be cleaned before treatment is begun. NOTE: Prevent direct contact between tablets and metal surfaces by using the holder provided or a similar holder.

NOTE: Use only in industrial air-washer systems that maintain effective mist eliminators.