

2023-1119
2023-10-13

This label has been updated according to the re-evaluation decision of piperonyl butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 02/09/2024 in accordance with the phase out period set out in RVD2023-07. This previously approved label will be provided upon request by emailing hc.pma.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

Hartz® UltraGuard Plus® Flea & Tick Home Spray
DOMESTIC

SOLUTION

For indoor use at homes, garages and apartments to kill fleas and ticks.

Kills Fleas and Ticks on Contact

Plus Kills Flea Larvae for up to 6 months

[Protects from flea infestation for up to [6 months] *or* [26 weeks] *or* [182 days]]

[Kills fleas for up to [6 months] *or* [26 weeks] *or* [182 days]]

Stops flea larvae from developing into adult fleas

Breaks the flea life cycle

ACTIVE INGREDIENT:

Piperonyl butoxide.....1.000 %

D-phenothrin.....0.400 %

Pyriproxyfen.....0.015 %

Contains 1,3-dimethylol-5, 5-dimethylhydantoin at 0.129, 1- or 3-monomethylol-5, 5-dimethylhydantoin at 0.030 %, 2-methyl-4-isothiazolin-3-one at 0.001% and 5-chloro-2-methyl-4-isothiazolin-3-one at 0.002 % as preservatives.

REG. NO 31119 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

See back label for (additional) precautionary statements.

Net Contents: 473mL

Hartz Canada, Inc.
1125 Talbot Street
St. Thomas, Ontario
N5P 3W7
1-800-275-1414

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.
Made for The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U.S.A.)

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep children and pets out of room during application and off treated surfaces until vacuumed. Avoid contact with skin and eyes.. After using, wash hands with soap and water.

DO NOT SPRAY HUMANS

DO NOT apply to surfaces that may come into contact with food/feed.

Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air.

DO NOT apply when people or pets are present.

DO NOT allow people or pets to enter treated areas until one hour after application.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none">·Hold eye open and rinse slowly and gently with water for 15-20 minutes.·Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.·Call a poison control centre or doctor or treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">· Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.·Call a poison control centre or doctor for treatment advice.
IF SWALLOWED	Call a poison control centre or doctor immediately for treatment advice. DO NOT induce vomiting unless told to do so by a poison control centre or doctor. DO NOT give any liquid to the person. DO NOT give anything by mouth to an unconscious person.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.
Take container, label, or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.	

TOXICOLOGICAL INFORMATION:

Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

Skin exposure may cause transient sensations (tingling, burning, itching, numbness).

Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING. READ ENTIRE LABEL BEFORE EACH USE. Test a small inconspicuous area of the surface to be treated for damage before full application.

FOR INDOOR USE AT HOMES, GARAGES AND APARTMENTS TO KILL FLEAS AND TICKS

USE LIMITATIONS• **DO NOT** apply when people or pets are present.

- **DO NOT** allow people or pets to enter treated areas until one hour after application.
- **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed accidentally contaminated with spray solution must be discarded.
- **DO NOT** apply to overhead areas or in confined spaces (e.g., attics, crawlspaces, small storage rooms, closets).
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply to mattresses, linens, toys or clothing.
- Ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.

HOW TO APPLY

DO NOT APPLY AS A SPACE SPRAY OR BROADCAST TREATMENT. Apply as a spot or furniture (pet bedding and upholstered furniture only) treatment only. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room. Furniture treatment: broadcast application covers large areas of the entire surface of items; crack and crevice treatments are applications to junction points on items; spot application is up to 10% of the surface of the item; and tuft and/or seam treatment (upholstered furniture only) is to the junction of two or more pieces of fabric and any decorative trim (e.g., buttons).

DO NOT exceed 473 mL per 11.5 m². Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Good sanitary practices should be maintained to prevent re-infestation.

Apply to indoor building surfaces, including cracks and crevices in walls and floors; along and behind baseboards; window and door frames; localized areas of floor and floor

coverings; and surfaces of upholstered furniture where listed pests are found. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks, spray Hartz® UltraGuard Plus® Flea & Tick Home Spray directly on ticks. One 473 mL bottle will treat a surface area of 11.5 square metres. **DO NOT** exceed 473 mL per 11.5 m². **DO NOT** wet furniture, rugs, carpeting and pet bedding. Pet bedding may be entirely treated with this product or replaced with clean, fresh bedding after other listed areas are treated. Pet bedding should be allowed to dry completely before pets return to their bedding area. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Good sanitary practices should be maintained to prevent re-infestation. **DO NOT TREAT PETS WITH THIS PRODUCT.** For effective flea and tick control, pets should be treated with a registered flea and tick control product designed for use on pets, and treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas prior to treatment with this product.

DO NOT use in food handling, storage or preparation areas while food is present.

Avoid contamination of food and food stuffs.

Leave treated areas and **DO NOT** return for at least one hour.

STORAGE AND DISPOSAL:

Store in original container at room temperature, in a dry place away from food and out of the reach of children. **DO NOT** reuse empty container. Wrap and dispose of empty container with household garbage.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.