

2014-2975
2014-09-02

POWERSHOT FLYING INSECT KILLER PRO

PRESSURIZED SPRAY
INDOOR/OUTDOOR USE
DOMESTIC

Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, biting midges, wasps, flying moths, and crawling insects such as cockroaches, spiders, crickets, ants, carpet beetles, centipedes, silverfish, bed bugs, dog and cat fleas, Brown Dog and American Dog ticks.

GUARANTEE:

Pyrethrins 0.50%

Piperonyl Butoxide 5.00%

REG. No. 31120 P.C.P. ACT

NET CONTENTS: 450-600 g

DANGER
EXTREMELY FLAMMABLE
EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

DCG Vision Marketing & Sales International Ltd.
222 Worthington Street West
North Bay, ON
P1B 3B4
Tel: (705) 476-8648

DIRECTIONS

Inside Building Use: Close all windows, doors and extinguish open flames during treatment. Cover aquaria and remove pets. Apply at a rate of 15 seconds per 30m³ of space. Direct mist upwards in sweeping motions to all parts of the building especially towards windows and other light sources where insects are present. Insects must be contacted to be killed. Keep spray at least 1 m from interior walls, fabrics and furniture. Keep room closed for 30 minutes and then ventilate treated areas for 30 minutes before re-entry.

Outdoor Use: Direct mist upwards in sweeping motions to all areas where insects are congregating such as garages, storage areas, barns, porches, under eaves, and around windows & doors. Insects must be contacted to be killed.

CRAWLING INSECTS: Apply to insect hiding places and breeding areas such as baseboards, moist areas, opening around sinks, drains, and pipes, behind cabinet and storage areas. If possible, hit insects directly to kill. Spray ant trails, around door sills, window frames or in ant nest.

TO CONTROL FLYING MOTHS: Treat all enclosures, arranging clothing and other articles so that the mist can circulate freely. Apply for 3 seconds per 30 cubic metres of space. Close treated areas for at least 45 minutes.

TO CONTROL BED BUGS: Spray mattress lightly, particularly around seams and tufts. Take beds apart and spray the frames, springs and all joints. Also spray cracks, crevices, baseboards and other possible hiding places around the room. Repeat as required.

FLEAS: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. In homes or dwellings, cover or remove food and utensils to prevent contamination from spray and dead insects. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stove or other sources of heat Do not puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame or spark, or while smoking.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, wrap and dispose of in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.