Kixor® Manufacturing Concentrate

FOR MANUFACTURING, FORMULATING OR REPACKAGING

SUSPENSION CONCENTRATE

Contains 2-bromo-2-nitropropane-1,3-diol at 0.084%, 1,2-benzisothiazolin-3-one at 0.092%, 5-chloro-2-methyl-4-isothiazolin-3-one at 0.0031% and 2-methyl-4-Isothiazolin-3-one at 0.00104%, as preservatives

Warning, contains the allergen soy.

REGISTRATION NO. 33377 PEST CONTROL PRODUCTS ACT

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT, 1-800-454-2673

POTENTIAL SKIN SENSITIZER

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

READ THE LABEL BEFORE USING

NET CONTENTS: 50 L - 1500 L, Bulk

BASF Canada Inc. 5025 Creekbank Road Building A, 2nd Floor Mississauga, Ontario L4W 0B6

(289) 360-1300

KIXOR is a registered trademark of BASF SE, used with permission by BASF Canada Inc.

DIRECTIONS FOR USE

To be used only in the manufacture of an herbicide which is registered under the *Pest Control Products Act*.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

POTENTIAL SKIN SENSITIZER.

DO NOT take internally. Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Wear protective eyewear and chemical-resistant gloves.

Wash exposed areas of skin thoroughly after handling and before eating, drinking or smoking or going to the washroom. Remove and wash contaminated clothing before reuse.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

Keep in original container during storage.

Store in a secure, well-ventilated, dry area away from other pesticides, fertilizers, food or feed.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.