Doktor Doom Premium Sulphur Fungicide for use on Fruits, Vegetables, Roses, Flowers and Ornamental Plants

Wettable Powder

DOMESTIC

REG NO. 34635 PCPA

ACTIVE INGREDIENT: Sulphur ... 92%

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 500 g

753146 AB Ltd o/a Ultrasol Industries 10755-69 Ave. Edmonton, Alberta T6H 2C9 780-432-6535

DIRECTIONS FOR USE:

Controls powdery mildew, rust, apple scab, black knot and certain mites on Fruits, Vegetables, Roses, Flowers and Ornamental Plants

HOW TO USE: This product may be dusted directly onto plants or bulbs, or may be mixed with water for spray application.

MIXING: Add 15 ml (1 tablespoon) to each litre of water and mix thoroughly. Agitate the mixture while spraying to avoid settling. NOTE: 15 ml weighs approximately 10 grams.

Crop	Pests controlled	Directions
Apples, Pears	Powdery mildew,	Apply from green tip to first cover spray.
	Scab,	Reduce rate to one-half for subsequent sprays.
	Mites	Do not use on Anjou or Comice pears.
Cherry	Brown rot,	Apply in scheduled protective spray program from
(Sweet and Sour)	Leaf spot,	bloom to harvest.
	Powdery mildew,	
	Mites	
Grapes,	Powdery mildew	Apply at first signs of Mildew and repeat every 10
Strawberries		days if necessary.
		Do not use on Concord Grapes or other sensitive
		varieties.
Peaches,	Brown rot,	
Plums	Leaf spot,	
	Black knot	
Currants,	Powdery mildew,	Apply before earliest blossoms and continue
Gooseberries	Rust	through harvest.
Beans,	Powdery mildew,	Spray or Dust on appearance of disease and repeat
Peas	Rust	at 7 to 10-day intervals as necessary.
Roses,	Rust,	Dust or spray every 7 to 10 days through the
Flowers,	Powdery mildew,	season.
Ornamentals	Black spot,	
	Mites	

PRE-HARVEST INTERVAL

May be used up to one day before harvest on all crops except grapes for wine which require a 21-day interval.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN: Do not apply at temperatures of 24°C or higher. Do not apply to cucumbers, melons or squash. Do not apply within 30 days of oil sprays. Avoid breathing spray dust or mist. Avoid contact with skin, eyes or clothing. Do not contaminate feed, food or any body of water. Wash thoroughly after use and before eating, drinking or smoking. Store in a dry ventilated place.

ENVIRONMENTAL PRECAUTIONS

Do not apply directly to aquatic habitats (such as lakes, rivers, sloughs, ponds, coulees, prairie potholes, creeks, marshes, streams, reservoir and wetlands) and estuarine/marine habitats. Do not contaminate water by cleaning equipment or disposing of wastes.

FIRST AID

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything to an unconscious person.

If inhaled, move person to fresh air. If person, is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL:

Wrap and dispose of empty container with household garbage. Do not reuse empty container.

OPTIONAL MARKETING STATEMENTS Spray or Dust Fungicide - Miticide