

2023-2203
2023-06-22

(Unit Label) **ECOPEST ANT & ROACH BAIT GEL**

Insecticide

RTU or Refill (optional)
Ant and Roach Illustration (Optional)

No Mess – No Ants Use Indoors or
Out

Honeydew Formula

DOMESTIC

READ THE LABEL BEFORE USING KEEP OUT OF
REACH OF CHILDREN

ACTIVE INGREDIENT: Disodium Octaborate Tetrahydrate 6.0%

REGISTRATION NO. 34893 PEST CONTROL PRODUCTS ACT NETCONTENTS:

42 g syringe

Ecopest Inc.
8605 Coronet Road W.
Edmonton, AB
T6E 4P2
(780) 448-2661

2023-2203
2023-06-22

(Package Label)

ECOPEST ANT & ROACH BAIT GEL

Insecticide

RTU or Refill (optional)
Ant and/or Roach Illustration (Optional)

No Mess – No Ants
Use Indoors or Out

Honeydew Formula

DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: Disodium Octaborate Tetrahydrate 6.0%

REGISTRATION NO. 34893 PEST CONTROL PRODUCTS ACT

NET CONTENTS:

42 g syringe [1 to 6 syringes per box]

Ecopest Inc.
8605 Coronet Road W.
Edmonton, AB
T6E 4P2
(780) 448-2661

2023-2203
2023-06-22

ECOPEST ANT & ROACH BAIT GEL

ECOPEST ANT & ROACH BAIT GEL incorporates boron (in the form of disodium octaborate tetrahydrate) in a special food bait which is highly attractive to ants, carpenter ants and cockroaches. Ants and carpenter ants pick up the bait and take it to their nests to feed the colony. Cockroaches will feed directly on the bait and die, but will not share the bait. The boron works slowly and sufficient bait should be made available for at least 14 days of continuous feeding. The ants and carpenter ants will return to their nests after consuming the bait and will feed their young and the queen, destroying the colony. Repeat placement of the bait until satisfactory control has been achieved.

Do not use sprays, foggers or any chemicals or cleaners near the bait containers or placements. This may contaminate the bait and cause the insects to cease feeding.

For control of ants, carpenter ants and cockroaches, use indoors or outdoors in and around homes, apartments and condominiums.

DIRECTIONS FOR USE:

ECOPEST ANT & ROACH BAIT GEL is applied with the syringe. Remove a syringe from the package and inject gel into cracks and crevices around windows and doors, inside and out, along baseboards, in dead spaces or any other tight space where the bait is protected from exposure and inaccessible to children and pets.

ECOPEST ANT & ROACH BAIT GEL syringe may be used to inject the gel into devices that provide entry to ants, carpenter ants and cockroaches, but protect the bait from exposure to humans, domestic animals and the elements. The bait can be dispensed in bait stations, or can be used to refill ant and cockroach bait stations sold with the bait or in ant and cockroach bait stations designed for the addition of bait (i.e. Ant Café, or other similar bait stations) (optional.)

(Illustration – optional)

ECOPEST ANT & ROACH BAIT GEL

Indoors: Place bait stations 1.5-3.0 metres apart where ants, carpenter ants or cockroaches are numerous. Replace bait stations as needed. Place stations under food cabinets, sinks, stoves, refrigerators, food storage areas, attics, garages, basements, storage areas and closets. Place on exterior windowsills and in doorways to help prevent entry of ants, carpenter ants or cockroaches. Some bait stations may be designed to be affixed to a wall or placed on a flat surface. When using bait stations, wash hands thoroughly before handling to remove any odours that may be repellent to ants, carpenter ants or cockroaches, i.e. tobacco, garlic, chemicals/ cleaners.

2023-2203
2023-06-22

Outdoors: Place bait stations near where ants enter dwellings. For best results place stations in shaded areas or create shade for the bait station. [Avoid placing bait station where it will receive direct sunlight whenever possible.](Optional)

2023-2203
2023-06-22

2019-0348
2019-05-16

PRECAUTIONS: Apply/use only in areas inaccessible to children and pets. **KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.** Avoid contamination of water, foodstuffs and utensils. Wash hands after use.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN/CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Take the container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

2023-2203
2023-06-22