

# Novastat Q

CONCENTRATED GERMICIDE  
MANUFACTURING CONCENTRATE  
READ THE LABEL BEFORE USING

For the formulation of disinfectants, sanitizers, oil field and cooling tower biocides and wood preservatives

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**



**POISON**



**CORROSIVE**

**GUARANTEE:**

Didecyl dimethyl ammonium chloride ..... 50%

REGISTRATION NO. 34901  
PEST CONTROL PRODUCTS ACT

NET CONTENTS :

Novatech Wood Protection, Ltd.  
201, 12840 16Ave  
Surrey BC, CAN V4A 1N6  
604-789-2498

2023-2908

2023-06-28

**DIRECTIONS FOR USE:** to be used only in the manufacture, formulating and repack of a microbiocide which is registered under the Pest Control Products Act. Formulators are responsible for their own registrations.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

Novastat Q is a cationic germicide.

**DO NOT MIX WITH SOAP OR ANIONIC MATERIALS**

**STORAGE:** Store in dry well-ventilated place no lower in temperature than 10 degrees C or higher than 50 degrees C.

**DISPOSAL:** Canadian formulators of this product should dispose of unwanted active and containers in accordance with municipal and provincial regulations. For additional details and cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

**PRECAUTIONS: DANGER – CORROSIVE – KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.** Causes severe eye and skin damage. **DO NOT** get in eyes, on skin or on clothing. Wear glasses or face shield and chemical resistant gloves when handling. Harmful or fatal if swallowed. **DO NOT** contaminate food. **DO NOT** discharge into lakes, streams, ponds or public waters.

**FIRST AID:**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Avoid alcohol.