## **Maxunitech Trinexapac-ethyl Technical**

PLANT GROWTH REGULATOR

FOR USE IN MANUFACTURING

SOLID

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

**CAUTION: SKIN IRRITANT** 

REGISTRATION NO. 34056 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Trinexapac-ethyl ... 98.9%

NET CONTENTS: 20-1000 Kg

Maxunitech North America Inc. 11601 Shadow Creek Pkwy, Suite 111-573 Pearland, Texas, 77584, USA 86-571-28007837 or 855-462-9621

> Canadian Agent: John Gibson 618 Wilkins Terrace Saskatoon, SK S7W 0C8 1-306-514-0770

## **DIRECTIONS FOR USE**

To be used only in the manufacture of a pesticide registered under the Pest Control Products Act.

## **PRECAUTIONS**

## PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Strictly observe all precautions for handling and using pesticides. May irritate the skin. Avoid contact with skin, eyes and clothing. Do not contaminate food, feed or water supplies. Workers using this product in an open system must wear protective clothing: safety boots, coveralls, impervious gloves, safety glasses/face shield, cartridge-type respirator and hat. Prevent eating, drinking, tobacco usage, and cosmetic application in areas where there is a potential for exposure to the material. Always wash thoroughly after handling.

## **ENVIRONMENTAL PRECAUTIONS**

Toxic to aquatic organisms.

#### FIRST AID

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION

There is no specific antidote, if this product is ingested. Treat symptomatically. If a large amount has been ingested and emesis is inadequate, lavage stomach.

An aqueous suspension of activated charcoal can be administrated to absorb remaining toxicant.

#### **STORAGE**

Store in original containers in a well-ventilated, cool, dry, and secure area. Ship and store away from food, feed or seed. Keep containers tightly closed.

#### DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the manufacturer or the provincial regulatory agency.

# **NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.