This label has been updated according to the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 08-29-2025 in accordance with the phase out period set out in the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

Microcide L-612

Pace Solutions Corp. #142 – 766 Cliveden Pl Delta, BC, Canada V3M 6C7

(604) 520-6211 (800) 799-6211 pacesolutions.com

Transportation Emergencies: Canutec: (613) 996-6666 Emergency Response Services:

Chemtrec: (800) 424-9300

NET CONTENTS: L

Lot:

C1223

Proudly Canadian

COMMERCIAL • SOLUTION

READ THE LABEL BEFORE USING DANGER CORROSIVE TO EYES AND SKIN

ACTIVE INGREDIENT:

Available chlorine, present as sodium hypochlorite **10.3%** REGISTRATION NO. **34710** PEST CONTROL PRODUCTS ACT

DIRECTIONS FOR USE:

FOR USE AS A BIOCIDE IN OPEN RECIRCULATING COOLING WATER SYSTEM

Dosages and method of application of MICROCIDE L-612 will depend on the type of equipment to be treated and the type and quantity of microbiological life involved. Initial Dose: When the system is notably fouled, add 60 to 120 mg/L of MICROCIDE L-612 in the system to achieve 7.5 to 15.0 mg/L available chlorine by weight. Repeat until control is achieved.

Continuing Dose: When microbial control is evident, apply 0.03 to 0.06 Kg/1000 L of MICROCIDE L-612 in the system to achieve 3.25 – 7.50 mg/L available chlorine by weight. Apply treatment weekly or as needed to maintain control.

Slug additions should be made to cooling tower basin or sump, or at an alternate point which provides good mixing. Heavily fouled systems should be cleaned before starting treatment.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

PRECAUTION STATEMENTS - KEEP OUT OF REACH OF CHILDREN

CORROSIVE to the eye. DO NOT get in eyes. Corrosive to the skin. DO NOT get on skin. Harmful if swallowed or inhaled. Avoid breathing vapour and sprays. Wear long-sleeved shirt, long pants, chemical-resistant gloves, protective eyewear (googles or face shield), socks and shoes when handling this product. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse. Do not mix with acids because dangerous chlorine gas will be released. Do not use in products containing alcohols, ammonia, amines glycols, nitrates, esters, ketones, or other oxidizable compounds.

ENVIRONMENTAL PRECAUTIONS: Toxic to aquatic organisms.

This registration is granted under the Pest Control Products Act and does not exempt the user from any other legislative requirements

STORAGE: Store in a cool, dry, well-ventilated place. Store this product away from food or feed. Keep container tightly closed and away from incompatible materials. Venting of containers is advisable.

DISPOSAL: 1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for the clean-up of spills. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.

Make the empty container unsuitable for further use.

Dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.