PMRA Approved Label 2023-1552 2024-01-11

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "2025-03-02" in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

Klenze 15 Insecticide for Horses

FOR USE ON HORSES AND PONIES ONLY

Controls and repels the following pests on horses and ponies: deer flies, face flies, house flies, horn flies, horse flies, black flies, mosquitoes and stable flies

DO NOT use on newborn or nursing foals or on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.

Use on show, race, work or pleasure horses only. DO NOT use on horses intended for slaughter.

SOLUTION

DOMESTIC

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS: Permethrin ... 0.50% Pyrethrins ... 0.10% Piperonyl Butoxide ... 1.0%

Contains 1,2-benzisothiazolin-3-one at 0.019% as a preservative

REG. NO. 33992 PCPA

NET CONTENTS: 250 mL to 4 L

Eco-Cop Inc. 2800 Scotia Place, 10060 Jasper Avenue Edmonton, Alberta, T5J 3V9 780-433-0274

DIRECTIONS FOR USE:

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING. Ready to use. No mixing necessary. This water-based formulation may be applied directly with the attached trigger spray applicator or as a wipe-on.

FOR USE ONLY ON HORSES AND PONIES

USE LIMITATIONS

- For use on horses and ponies only.
- **DO NOT** use on newborn or nursing foals.
- Use on show, race, work or pleasure horses/ponies only.
- **DO NOT** use on horses/ponies intended for slaughter.
- **DO NOT** wet or soak skin.
- **DO NOT** apply more than 60 mL per animal per treatment.
- DO NOT treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals).
- **DO NOT** cover horses/ponies immediately after treatment.
- **DO NOT** apply to back of horse/pony prior to saddling.
- Discontinue use if horse/pony develops irritation after treatment with this product.
- **DO NOT** use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.
- **DO NOT** spray directly to mouth, face, eyes or genitals of the animal.
- Avoid contact with treated horse/pony until dry.
- Use ONLY in a well-ventilated area, preferably outdoors.
- **DO NOT** apply when people are present.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply more than once per day. Treatment must only be repeated after one day if pest problem persists or re-occurs.

HOW TO PRIME AND CARE FOR YOUR TRIGGER SPRAYER

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one-half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as required.
- 3. After each use, thoroughly flush sprayer and hose with water. Return hose and cap assembly to container, tighten securely. Turn nozzle to "OFF" position and store above level of liquid in container to prevent leakage.

NOTE: If sprayer does not function properly, remove nozzle cover and check nozzle hole and holes in rubber component for obstructions. Check to make sure nozzle is not in "OFF" position. Replace nozzle cover, return sprayer assembly to container and proceed.

TO TREAT HORSES/PONIES: To protect horses/ponies from attacks of stable flies, deer flies, face flies, house flies, horse flies, black flies and mosquitoes. Prior to treatment,

thoroughly brush horse/pony to remove excess dirt and dust and remove mucous secretions from face of the horse/pony. Extremely dirty horses/ponies should be shampooed, rinsed and allowed to dry before treatment. This product is to be applied directly to the horse/pony as a spray or as a wipe-on.

SPRAY METHOD: Apply a light, uniform spray to thoroughly coat the hair of the horse or pony while brushing lightly against lay of the hair. DO NOT wet horse's or pony's skin. Target areas of the horse/pony commonly attacked by listed pests such as the legs, flanks and topline of the horse. DO NOT apply as a spray to the face of horse or pony. When applying to the face of horse or pony, use the Wipe-On Method as described below. After application, brush thoroughly to bring out bright sheen on the coat.

WIPE ON METHOD: Use this method to apply to the face and other sensitive areas to avoid application to eyes and mucous membranes (e.g., nose, mouth, genitals). Moisten (not to the point of dripping) a clean soft cloth/sponge/mitt with product. Thoroughly rub the moistened cloth/sponge/mitt over the area of hair of the horse to be protected. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. After application, brush thoroughly to bring out bright sheen on the coat. Repeat as required.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May be harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Wear rubber gloves while handling this product. DO NOT contaminate food.

FIRST AID:

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. Treat symptomatically.

STORAGE:

Store this product away from food or feed in a cool area above 0°C and protect from freezing.

DISPOSAL:

DO NOT reuse empty container. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

OPTIONAL MARKETING STATEMENTS Insecticide & repellent for horses and ponies Quick Knockdown & Repels 3 to 5 Day Protection against Listed Flies and Mosquitoes Use on Show, Race, Work or Pleasure Horses only. Contains citronella scent. Contains lemongrass scent. Contains geraniol scent.