

2023-5764
2023-10-16

Tide Glufosinate Ammonium Technical Herbicide

SOLID POWDER

FOR MANUFACTURING PURPOSES ONLY

ACTIVE INGREDIENT: Glufosinate-ammonium ... 96 %

REGISTRATION NUMBER 33885 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL



DANGER

POISON

NET CONTENTS: Bulk

Tide International Canada Inc.
245 Hanlon Creek Boulevard, Unit 102,
Guelph, Ontario,
N1C 0A1
+1 866 699 7717

DIRECTIONS FOR USE

To be used only in the manufacture of a pesticide which is registered under the *Pest Control Products Act*.

PRECAUTIONS:

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Fatal or poisonous if swallowed. Harmful if inhaled. Avoid contact. Avoid inhaling/breathing dusts and sprays. Wash thoroughly after using or before eating or smoking. Wear protective clothing including goggles and respirator when handling technical material.

FIRST AID:

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION:

Initial signs of poisoning include vomiting, diarrhea and nausea. Neurological symptoms (which may include impaired consciousness, convulsions, tremor, and coma) may appear suddenly without prior warning, with a delay (latency period) of 8 to 48 hours. Induction of vomiting is not recommended. It should only be considered if a large amount has been swallowed, if the ingestion occurred within the previous hour, and if the patient is fully conscious. Gastric lavage should be considered within the first 2 hours after ingestion. As there is no specific antidote, treatment should be symptomatic and supportive. In case of convulsions, benzodiazepines should be given. If not effective, phenobarbital can be used.

STORAGE:

Keep in original container during storage. Do not contaminate or store near feed and seeds. Keep away from fire, open flame, or other sources of heat. Do not store at temperatures below 0° C or above 50°C. Normal storage temperatures should be between 5-30°C.

DISPOSAL:

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with

2023-5764
2023-10-16

the directions on the label.