## (King Logo)

## RODENTEX RAT BAIT MUP

**SOLID** 

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

ACTIVE INGREDIENT: Chlorophacinone......0.005%

REGISTRATION NO. 34412 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING WARNING, CONTAINS THE ALLERGENS PEANUTS, WHEAT, SOY AND FISH PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

NET CONTENTS: 20 kg

577 Industrial Drive Fort Erie, Ontario, L2A 5M4 Canada 1-866-458-5464 www.kinghg.on.ca

#### **PRECAUTIONS**

## KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL

May be harmful or fatal if swallowed or absorbed through the skin. Chemical resistant gloves must be worn when handling product. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse.

### KEEP AWAY FROM FEED AND FOODSTUFFS.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

#### **FIRST AID**

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, For all cases of human ingestion call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If pet or livestock poisoning is suspected, immediately contact a veterinarian.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## TOXICOLOGICAL INFORMATION

Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion is a suggested remedial treatment for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

#### **DIRECTIONS FOR USE**

To be used only in the manufacture of a rodenticide which is registered under the *Pest Control Products Act*.

#### STORAGE AND DISPOSAL

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

Canadian formulators using this product should dispose of unwanted product and containers in accordance with municipal or provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

# NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.