

Box Label

Parapet K9 Praventia 360 for Small Dogs

Flea Adulticide/Larvicide/Ovicide and Tick Adulticide

Once-A-Month Topical Flea and Tick Treatment Solution

FOR USE ONLY ON DOGS AND PUPPIES 4.5 kg OR LESS AND OVER 12 WEEKS OF
AGE

DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL
DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION: EYE IRRITANT
Warning, contains the allergen soya.

Cat pictogram TOXIC TO CATS

ACTIVE INGREDIENTS:

Imidacloprid 7.12%

Permethrin 35.6%

Pyriproxyfen 0.36%

REG. NO. 33792 P.C.P. ACT

NET CONTENTS: [One to six] 0.48 mL Tubes

Evergreen Animal Health LLC
22655 Centennial Road
Gretna, Nebraska, 68028, USA
1-402-215 5502

Distributed by:
Rolf C. Hagen Inc.
20500 Trans Canada Hwy
Baie d'Urfé, QC H9X 0A2
Telephone: 1-800-554-2436

Parapet K9 Praventia 360 for Small Dogs will control fleas and ticks on dogs weighing 4.5 kg or less within one day of treatment and will continue to protect the dog from further flea and tick infestations for at least four weeks. Reapply every month for continual pest control in situations where there is an ongoing risk of flea and tick infestation. If retreatment becomes necessary earlier than 4 weeks, use pesticide products with alternative active ingredients or other means of pest control.

Parapet K9 Praventia 360 for Small Dogs provides multi-stage flea control effectively breaking all flea lifecycle stages for quick and lasting control of flea populations. Fleas, flea eggs and larvae are killed following contact with a Parapet K9 Praventia 360 for Small Dogs treated pet. Kills adult ticks only.

PRECAUTIONS:

HUMANS: KEEP OUT OF THE REACH OF CHILDREN. May irritate eyes. Avoid contact with eyes. Avoid contact with pets until dry. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. This product is extremely toxic to fish. Do not contaminate water, feed or food by storage or disposal.

PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Do not use on dogs under 12 weeks of age. Call 1-800-554-2436 for assistance regarding Parapet K9 Praventia 360 for Small Dogs use.

SIDE EFFECTS:

<p>Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behavior such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Rolf C. Hagen Inc. at 1-800-554-2436.</p>
--

This product contains Permethrin, Imidacloprid, and Pyriproxyfen. Do not apply another pest control product such as a shampoo, collar, or powder which contains Permethrin, Imidacloprid, or Pyriproxyfen to the treated animal after applying Parapet K9 Praventia 360 for Small Dogs.

FIRST AID:

HUMANS: IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told

to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. Take the container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household garbage.

[Contains Imidacloprid, Permethrin and Pyriproxyfen, the active ingredients found in K9 Advantix® II.]

[Contains the same active ingredients as K9 Advantix® II.]

[This product is not manufactured or distributed by Bayer, the maker of K9 Advantix® II. K9 Advantix® is a registered trademark of Bayer Aktiengesellschaft.]

Label insert

Parapet K9 Praventia 360 for Small Dogs

Flea Adulticide/Larvicide/Ovicide and Tick Adulticide

Once-A-Month Topical Flea and Tick Treatment Solution

FOR USE ONLY ON DOGS AND PUPPIES 4.5 kg OR LESS AND OVER 12 WEEKS OF
AGE

DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL

DOMESTIC

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION: EYE IRRITANT

Warning, contains the allergen soya.

Cat pictogram

TOXIC TO CATS

ACTIVE INGREDIENTS:

Imidacloprid 7.12%

Permethrin 35.6%

Pyriproxyfen 0.36%

REG. NO. 33792 P.C.P. ACT

NET CONTENTS: [One to six] 0.48 mL Tubes

Evergreen Animal Health LLC

22655 Centennial Road

Gretna, Nebraska, 68028, USA

1-402-215 5502

Distributed by:

Rolf C. Hagen Inc.

20500 Trans Canada Hwy

Baie d'Urfé, QC H9X 0A2
Telephone: 1-800-554-2436

Parapet K9 Praventia 360 for Small Dogs will control fleas and ticks on dogs weighing 4.5 kg or less within one day of treatment and will continue to protect the dog from further flea and tick infestations for at least four weeks. Reapply every month for continual pest control in situations where there is an ongoing risk of flea and tick infestation. Otherwise, treatment must only be repeated if pest problem re-occurs. If retreatment becomes necessary earlier than 4 weeks, use pesticide products with alternative active ingredients or other means of pest control. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with Parapet K9 Praventia 360 for Small Dogs rapidly kills fleas and may reduce incidence of this condition.

Parapet K9 Praventia 360 for Small Dogs provides multi-stage flea control effectively breaking all flea lifecycle stages for quick and lasting control of flea populations. Fleas, flea eggs and larvae are killed following contact with a Parapet K9 Praventia 360 for Small Dogs treated pet. Kills adult tick only. Reinfestation from the emergence of new fleas and ticks in the environment may continue to occur for six weeks or longer after treatment is initiated. For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

Do not shampoo or immerse the dog in water immediately after treatment. The dog can be shampooed, immersed in water or exposed to rain 3 days after treatment. The duration of protection may be shortened by shampooing, water immersion or exposure to rain.

PRECAUTIONS:

HUMANS: KEEP OUT OF THE REACH OF CHILDREN. May irritate eyes. Avoid contact with eyes. Avoid contact with pets until dry. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. This product is extremely toxic to fish. Do not contaminate water, feed or food by storage or disposal.

PETS: Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Do not use on dogs under 12 weeks of age. Call 1-800-554-2436 for assistance regarding Parapet K9 Praventia 360 for Small Dogs use.

SIDE EFFECTS:

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behavior such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Rolf C. Hagen Inc. at 1-800-554-2436.

This product contains Permethrin, Imidacloprid, and Pyriproxyfen. Do not apply another pest control product such as a shampoo, collar, or powder which contains Permethrin, Imidacloprid, or Pyriproxyfen to the treated animal after applying Parapet K9 Praventia 360 for Small Dogs.

FIRST AID:

HUMANS: IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. Take the container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

DISPOSAL: Wrap empty tube and cap in newspaper and dispose in household garbage.

DIRECTIONS FOR USE:

For the control of fleas and ticks on dogs weighing 4.5 kg or less and over 12 weeks of age.

FOR EXTERNAL USE ONLY ON DOGS WEIGHING 4.5 KG OR LESS. DO NOT administer by mouth. **DO NOT** use on dogs under 12 weeks of age. **DO NOT** use on cats, kittens or any other animal. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death (See **PRECAUTIONS**). Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals under drug or other pesticide treatment.

Parapet K9 Praventia 360 for Small Dogs is packaged in single 0.48 mL dosage tubes. [This package contains [one to six] monthly 0.48 mL dosages.] Reapply every month for continual pest control in situations where there is an ongoing risk of flea and tick infestation. Otherwise, treatment must only be repeated if pest problem re-occurs. If retreatment becomes necessary

earlier than 4 weeks, use pesticide products with alternative active ingredients or other means of pest control. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

Treat your dog as follows:

Remove one applicator from the package.

Hold applicator tube in an upright position. Cut cap off tube.

The dog should be standing for easy application.

Part the hair on the dog's back between the shoulder blades until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to completely empty the contents directly on the skin. Do not get this product in your pet's eyes or mouth.

Discard the empty tube as described in "DISPOSAL".

Until Parapet K9 Praventia 360 for Small Dogs dries, keep pet off furniture.

RETAIN REMAINING PACKAGING INFORMATION FOR FUTURE REFERENCE.

Watch for signs of sensitivities to Parapet K9 Praventia 360 for Small Dogs. Refer to FIRST AID for further information.

Tube Label

Parapet K9 Praventa 360 for Small Dogs

READ THE LABEL AND INSERT BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION: EYE IRRITANT

Warning, contains the allergen soya.

TOXIC TO CATS

0.48 mL

REG. NO. 33792 P.C.P. ACT