

2024-2617  
2024-08-06

SUPERIOR Control  
Products Inc.

NET CONTENTS: 100-600 g

DOMESTIC

SUPER HUNTER  
HORNET & WASP FOAM INSECTICIDE III

**Blankets wasp and hornet nests.**  
**Jet stream. Spray nests safely from 2-2.5 meters (6-8 feet)**

FAST ACTION – USER FRIENDLY – SPRAYS 360°

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

FOR OUTDOOR USE TO CONTROL BEES AND WASPS (INCLUDING HORNETS AND YELLOW JACKET) IN THEIR NESTS

REG. NO. 34434 P.C.P. ACT

ACTIVE INGREDIENTS:

Pyrethrins	0.050 %
N-octyl bicycloheptene dicarboximide	0.250 %
Permethrin	0.200 %

CAUTION

(logo)

EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Made for:  
SUPERIOR CONTROL PRODUCTS INC  
1937 rue Le Chatelier, Laval,  
Qc, H7L 5B3, Canada - (855) 808-2333

2024-2617  
2024-08-06

(Secondary Panel)

**DIRECTIONS FOR USE: SHAKE CAN WELL BEFORE USING.** Remove protective cap and insert “applicator” wand into spray nozzle before using.

For Outdoor Use to Kill Bees and Wasps (including hornets and yellow jackets) in their nest. The best time to apply the product to nests is in late evening or early morning, during cooler temperatures, and when most bees and wasps are at rest inside the nest. Observe for little activity around the nest opening. Spray only if there is little to no wind or breeze. Stand at a safe distance of 2 to 2.5 m from the nest, with the wind coming from behind. **DO NOT** stand directly under the nest. Treated insects may fall out of the nest and die.

Hold container at arm’s length. Point the spray nozzle in direction of the insect nest. First, spray the opening of the nest until completely covered with the insecticide foam. Because insects will now be unable to leave the nest, insert the applicator wand into the nest opening and fill the nest space (or void where the nest is located) with the insecticide foam. Wait at least 48 hours or until no signs of activity before removing the nest. Treatment must only be repeated if pest problem persists or reoccurs.

**Restrictions:** For outdoor use only. Do not use inside homes. **DO NOT** apply to any body of water. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty. **DO NOT** apply when people, pets or livestock are present. **DO NOT** allow people, pets or livestock to enter treated areas until sprays have dried. **DO NOT** allow spray to drip or allow drift onto non-target surfaces. Avoid spraying vegetation and non-target structural surfaces. Hose off any plants or non-target structural surfaces that are contacted with spray with water. **DO NOT** apply to people, pets, livestock or sources of electricity. **DO NOT** contaminate food/feed. **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

**Use Tips:**

Spray only if there is little or no wind or breeze. Avoid spraying vegetation directly. Rinse with water any desirable foliage that is contacted with spray.

Application to vinyl and aluminum siding may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Always pre-test a small inconspicuous area to be treated, for colour fastness and staining. Pre-test siding. Evaluate 30 minutes after test application for potential staining. Never apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of day.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** May cause eye or skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Do not inhale spray mist. **DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS.** Wash thoroughly with soap and water after using. Remove pets and cover ornamental fish ponds before spraying. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other source of heat. Do not store or use above 50°C as container may burst. Avoid freezing. Do not puncture or incinerate container. **Do not use this product in or on electrical equipment due to possibility of shock hazard.**

**Commented [SD(1):** To match French

**Commented [SD(2):** Rewording not acceptable.

**Commented [SD(3):** Not specifically on precedent, however lowers risk thus acceptable. Not necessary for container to be upright since it is “360”.

**Commented [SD(4):** Amended per precedent as this would include also hornets and yellow jackets

**Commented [SD(5):** Fixed directions to match precedent, since proposed wording changes the meaning.

**Commented [SD(6):** Not specifically on precedent, however only outdoor use copied and only outdoor use instructions used. OK to leave on since this reduces risk.

**Commented [SD(7):** This statement is from indoor use, removed.

**Commented [SD(8):** Expanded, OK as precedent under restrictions also.

**Commented [SD(9):** Removed as these are more indoor-type statements.

2024-2617  
2024-08-06

**FIRST AID: IF ON SKIN OR CLOTHING**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF IN EYES**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF SWALLOWED**, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**ENVIRONMENTAL PRECAUTIONS:**

Toxic to aquatic organisms. Toxic to birds and wildlife. Toxic to bees. Toxic to beneficial insects.

**TOXICOLOGICAL INFORMATION:** This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

**DISPOSAL:** When container is empty, press button to release all pressure. Do not re-use. Do not throw into fire. Wrap in newspaper and then discard in household garbage.