

2024-2617
2024-08-06

SPIDER AND INSECT KILLER IV

**PRESSURIZED CONTACT &
RESIDUAL CRACK, CREVICE & SPOT
INSECTICIDE SPRAY FOAM**

DOMESTIC

KEEP OUT OF REACH OF CHILDREN

FOR INDOOR USE AT BUILDINGS AND FOR OUTDOOR USE ON THE EXTERIOR SURFACES OF BUILDINGS AND ON PORCHES, PATIOS AND DECKS to kill Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Millipedes, Silverfish, Ants, Dog & Cat Fleas, Carpet Beetles, American & Brown Dog Ticks, Cluster Flies, House Flies

ACTIVE INGREDIENT:

Pyrethrin	0.050%
N-Octyl Bicycloheptene Dicarboximide	0.250%
Permethrin	0.200%

REG. NO. 34435 P.C.P. ACT

NET CONTENTS 150-550 g

CAUTION

(logo)

EXPLOSIVE

READ THE LABEL BEFORE USING

SUPERIOR CONTROL PRODUCTS inc.
1937 rue Le Chatelier, Laval,
Qc, H7L 5B3, Canada - (855) 808-2333

2024-2617

2024-08-06

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE:

For use indoors as a crack and crevice treatment to control ants, spiders, sowbugs, earwigs, cockroaches, crickets, millipedes, silverfish, fleas, carpet beetles and brown dog ticks. This product can also be used outdoors to control ants in cracks and crevices.

GENERAL DIRECTIONS: SHAKE CAN WELL BEFORE USING.

Remove protective cap and insert "applicator wand" into spray nozzle before using. Wait approx. 30 seconds before spraying.

Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. When applied indoors, good sanitary practices should be maintained to prevent re-infestation.

The application of this product to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Always pre-test a small inconspicuous area to be treated for colour fastness and staining. Evaluate 30 minutes after test application for potential staining. Regardless of the test results, **DO NOT** apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of the day. (**DO NOT** apply to tapestries, wallpaper or similar materials that may be stained).

Use Limitations for All Uses

- **DO NOT** apply to overhead areas or in confined spaces (for example, indoors in attics, crawlspaces, small storage rooms, closets and outdoors to eaves, soffits except when using to control wasps/hornets/yellow jackets in their nests).
- When applied indoors, ventilate treated areas after application by opening windows and doors, or using fans where required to aid in the circulation of air.
- **DO NOT** apply when people or pets are present.
- **DO NOT** allow people or pets to enter treated areas until sprays have dried.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply to people, pets, livestock or sources of electricity.
- **DO NOT** apply to furniture, mattresses, linens, toys or clothing.
- When applied outdoors: **DO NOT** apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs).
- When applied outdoors to the exterior surfaces of buildings and on listed structures: **DO NOT** treat soil, turf or other plants adjacent to the treatment site.

2024-2617

2024-08-06

- **DO NOT** apply to any body of water.
- **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.
- **DO NOT** contaminate food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment
- **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed accidentally contaminated with spray solution must be discarded.

FOR INDOOR USE AT BUILDINGS:

How to Apply

DO NOT apply as a space spray or broadcast application. ONLY crack and crevice and spot applications are permitted. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room.

INDOOR USE:

To Kill Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Millipedes, Silverfish, Ants and Carpet Beetles.

Thoroughly treat indoor building surfaces in hard to reach areas including cracks, crevices in walls, floors and ceilings; along and behind baseboards; around water pipes and tanks; walls behind and floors beneath appliances (e.g. refrigerators and stoves) and furniture (shelves, drawers, cabinets and storage units); around sinks, drains and pipes, around interior foundations; around garbage containers; localized areas of floors and floor coverings; and points of entry (e.g. around windows and doors). **DO NOT** exceed 18 g per m² (9 seconds/m²). Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

To Kill American & Brown Dog Ticks and Dog & Cat Fleas:

DO NOT apply to pet bedding, furniture, mattresses, linens, toys or clothing. Apply to indoor building surfaces, including cracks and crevices in walls and floors, along and behind baseboards, window and door frames and localized areas of floor and floor coverings. **DO NOT** exceed 18 g per m² (9 seconds/m²). For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area. Treatment must only be repeated after 7

2024-2617
2024-08-06

days if pest problem persists or reoccurs. DO NOT spray pets with this product. Only treat pets with products specifically registered for use on that type of pet.

FOR OUTDOOR USE ON THE EXTERIOR SURFACES OF BUILDINGS AND ON PORCHES, PATIOS AND DECKS:

To Kill Ants:

Gently insert the (wand or applicator wand or extension tube) as far as possible into cracks and crevices in driveways, patios, sidewalks, or interlocking brick where ants hide. (Pull or Push or Depress) (trigger or nozzle) and allow foam to fill the area. Stop spraying when the foam comes back out the crack or crevice. For best results, treat all cracks and crevices in the area where ants are found. **DO NOT** exceed 18 g per m² (9 seconds/m²). Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

To Kill Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Millipedes, Ants, Dog & Cat Fleas, American & Brown Dog Ticks, House Flies and Cluster Flies.

For use outdoors on the exterior surfaces of buildings, garbage cans and on patios, porches and decks as a spot treatment. Apply to the outside surfaces of foundations, light fixtures, eave troughs and under eaves and places where listed pests enter (e.g., screens, doors, window frames). This product may also be applied to garbage cans and localized areas of patios, porches and decks. Cluster flies and house flies will be killed when they land on the treated surfaces. **DO NOT** exceed 18 g per m² (9 seconds/m²). **DO NOT** treat soil, turf or other plants adjacent to the treatment site. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with eyes, skin, or clothing. Do not inhale spray mist. Wash thoroughly with soap and warm water after using. Cover fishbowls before spraying. **DO NOT** contaminate animal feeding areas. Contents under pressure. **DO NOT** place in hot water or near radiators, stoves or other sources of heat, or store at temperatures above 50°C as container may burst. **DO NOT** puncture or incinerate container or spray near open flame or spark, or while smoking.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by a poison control centre or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label

2024-2617

2024-08-06

or product name and Pest Control Product Registration Number with you when seeking medical attention.

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Skin exposure may cause transient sensations (tingling, burning itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. Vomiting may cause aspiration pneumonia. Treat symptomatically.

STORAGE:

Store this product away from food or feed.

DISPOSAL: When container is empty, press button to release all pressure. DO NOT reuse the empty containers. DO NOT puncture or incinerate. Discard in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.