

Pool Supplies Canada Spa Tabs

Stabilized Chlorinating Tablets
Controls Bacteria and Algae in Spa Waters

DOMESTIC
REGISTRATION NO. 33971 PEST CONTROL PRODUCTS ACT
GUARANTEE:

Available chlorine, present as Trichloro-s-triazinetriene.....90%

CAUTION

POISON

CORROSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Net Contents

2 kg

Pool Supplies Canada

3230 Mainway

Burlington, ON,

L7M 1A5

Manufactured By Lawrason's

460 Wyecroft Road, Oakville, ON L6K 2G7

Weight per Tablet 15 g.

DIRECTIONS FOR USE

WARNING: Direct tablet contact may cause bleaching of spa surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other spa sanitizers to avoid the probability of an explosion.

Maintain recommended daily levels as determined by testing kit.

Free available chlorine: 3.0 - 5.0 ppm;

pH: 7.2 - 7.8;

Total alkalinity: 125 - 150 ppm;

Calcium hardness: 150 - 200 ppm

For chlorination, Spa Tabs

should be added to an automatic chlorinator, floating

chlorine feeder or spa skimmer to maintain the proper chlorine residual.

Maintain proper chlorine residual by adding 10g of Spa Tabs per 1,000 L of spa

water, daily or as needed. Maintain water circulation at least 1 hour before using.

Periodic superchlorination of spa water is recommended. Follow label instructions of superchlorination product being employed.

NOTE: Hot weather, heavy spa usage, and the use of spa bubblers may require higher usage rates to maintain proper chlorine residuals. Persistent foam formation, turbid, or malodorous water are indicators of inadequate sanitizer levels.

For proper sanitation, spa must be completely drained periodically. The number of days

between complete spa drainage is equal to the volume of spa water in litres divided by 10 times the maximum number of daily spa users. Refill spa with water and repeat directions for use. Maximum spa water usage temperature is 40C. Duration in spa water at 40C should not exceed 15 minutes.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Strong oxidizing agent. May cause fire or explosion if contaminated. It is recommended to wear rubber gloves when handling this product. Avoid contact with skin and eyes. Harmful if swallowed. Keep container closed and store in a cool, dry location.

DISPOSAL

Rinse container thoroughly before discarding. Do not re-use empty container. Offer for recycling if available, or dispose in accordance with local and provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically