

2023-2326

2024-02-28

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until “02/03/2025” in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing [hc.pmra.info-arla.sc@canada.ca](mailto:hc.pmra.info-arla.sc@canada.ca). In your email please include the product name and Registration number of the label you are requesting.

2023-2326

2024-02-28

## **Extenda Shield Fly and Tick Spray for Horses**

FOR USE ON HORSES AND PONIES ONLY. Do not use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian. Use on Show, Race, Work and Pleasure horses/ponies only. Do NOT use on animals intended for slaughter. DO NOT use on newborn or nursing foals.

**DOMESTIC**

**SOLUTION**

**NON-OILY RESIDUAL INSECTICIDE AND REPELLANT**

**READY TO USE**

To kill ticks and to repel and kill horn flies, house flies, mosquitoes horse flies, deer flies (tabanids) and stable flies.

Scented With Citronella

**ACTIVE INGREDIENT:**

Pyrethrins.....0.33%

Piperonyl Butoxide.....0.77%

Permethrin.....0.5%

**KEEP OUT OF REACH OF CHILDREN**

**READ THE LABEL BEFORE USING**

Store product in the original container. Keep tightly closed

**REGISTRATION No. 33683 PEST CONTROL PRODUCTS ACT**

**NET CONTENTS: 1L, 4L**

Can-Vet Animal Health Supplies Ltd.

4-61 Malcolm Rd.

Guelph, ON

N1K 1A7

1-800-265-9754

2023-2326

2024-02-28

**DIRECTIONS FOR USE:**

**HORSES & PONIES:**

FOR USE ON HORSES AND PONIES ONLY. Shake container well before using.

To kill ticks and to repel and kill horse flies, deer flies (tabanids) and stable flies, horn flies, house flies and mosquitoes:

This product is to be applied directly to the horse/pony as a spray or as a wipe-on. Prior to treatment, thoroughly brush horse/pony to remove excess dirt and dust and remove mucous secretions from face of the horse/pony. Extremely dirty horses should be shampooed, rinsed and allowed to dry before treatment.

Spray Method:

Apply a light, uniform spray to thoroughly coat the hair of the horse/pony, while brushing lightly against lay of the hair. DO NOT wet horse's/pony's skin. Target areas of the horse/pony commonly attacked by listed pests such as the legs, flanks and topline of the horse/pony. DO NOT apply as a spray to the face of horse/pony. When applying to the face of horse/pony, use the Wipe-On Method as described below.

Wipe-On Method: Use this method to apply to the face and other sensitive areas to avoid application to eyes and mucous membranes (e.g., nose, mouth, genitals). To use as a wipe-on, moisten (not to the point of dripping) a clean soft cloth/sponge/mitt with Extenda Shield Fly and Tick Spray for Horses. Thoroughly rub the moistened cloth/sponge/mitt over the area of hair of the horse/pony to be protected. It is best to apply by rubbing against the hair growth. Pay special attention to the legs, shoulders, shanks, neck and facial areas (where flies and ticks most often are seen on the horse/pony).

Use Limitations:

- DO NOT use on newborn or nursing foals.
- Use on show, race, work or pleasure horses only. DO NOT use on horses intended for slaughter.
- DO NOT soak skin. DO NOT exceed 60ml of solution per animal per treatment.
- DO NOT treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals).
- DO NOT cover horses/ponies immediately after treating/after treatment.
- DO NOT apply to back of horse/pony prior to saddling.
- Discontinue use if horse/pony develops irritation after treatment with this product.
- Do not use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.
- Avoid contact with treated horse/pony until dry.
- Use ONLY in a well-ventilated area, preferably outdoors.
- DO NOT apply when people are present.
- DO NOT allow spray to drip or allow drift onto non-target surfaces.

2023-2326

2024-02-28

- DO NOT apply more than once per day. Treatment must only be repeated if pest problem persists or re-occurs. A veterinarian should be consulted when pest infestation continues to be a problem on the horse/pony.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Avoid inhalation of spray. Not for use on humans. Avoid contact with skin and eyes. Harmful if swallowed, inhaled or absorbed through skin. May irritate skin. Wash after using. If irritation appears discontinue use.

Wash contaminated clothing before reuse. Do not contaminate feed, food or litter. Do not contaminate food-handling equipment. Do not use in areas where beekeeping equipment or supplies are stored, or where milk is stored or processed.

**STORAGE:** Store in original container away from feed and food.

**DISPOSAL:** Do not reuse empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

**FIRST AID: If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled:** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth. Call a poison control centre or doctor for further treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically. This product contains a petroleum distillate. Vomiting may cause aspiration pneumonia.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use a control product in a way that is inconsistent with the directions on the label.