

2023-2812
2023-06-22
Last approved 2020-1360, 2020-05-27

TRALKOXYDIM AGROGILL
TECHNICAL GRADE ACTIVE INGREDIENT

SOLID

FOR MANUFACTURING, FORMULATING OR REPACKAGING

ACTIVE INGREDIENT: Tralkoxydim.....99.3%

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL



REGISTRATION No: 33775 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 50kg TO BULK

Agrogill Chemicals Canada Inc
35842 Eaglecrest Drive,
ABBOTSFORD
BC V3G 1E8

(604) 853-3229

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Symptomatic and supportive therapy as indicated: There is no specific antidote. Symptoms are likely to be those of central nervous system depression. Avoid respiratory depressants unless otherwise indicated. Following ingestion, adsorbents such as activated charcoal may be of value.

For larger quantities, gastric lavage may be effective, if performed within 4 hours of ingestion. However, the need for gastric lavage should be considered carefully, in view of the low acute oral toxicity of this material; it may be better to observe the patient and employ general supportive measures only.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Avoid ingestion, contact with skin and eyes and inhalation of airborne dust. Wear protective clothing when handling containers (cap, safety spectacles, overalls and work

2023-2812

2023-06-22

Last approved 2020-1360, 2020-05-27

boots). Operations with significant exposure to tralkoxydim technical will in addition require PVC or nitrile rubber gloves.

STORAGE

Store in sealed containers in a secure, dry, ventilated area away from frost, direct sunlight and other sources of heat and ignition.

DO NOT contaminate water, food or feed by storage.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial regulations. For additional details and clean up of spills, contact the manufacturer and the provincial regulatory agency.

DIRECTIONS FOR USE

To be used only in manufacture of pesticide which is registered under the *PEST CONTROL PRODUCTS ACT*.