

2021-11-23
2021-1856

A.D.I.O.S.TM WSG Weed Killer

SELECTIVE HERBICIDE
CONTROLS MANY BROADLEAF WEEDS ON RESIDENTIAL LAND
(LAWNS), ALONG DRIVEWAYS, WALKWAYS AND IN VACANT
LOTS

DOMESTIC
SOLUBLE GRANULES

REG. NO. 34305 P.C.P. ACT

ACTIVE INGREDIENT: Sodium Chloride..... 99.86%

READ THE LABEL BEFORE USING
KEEP OUT OF THE REACH OF CHILDREN

Net Contents: 120 g to 6 kg

HERBANATUR Inc.
212 de la Matamec,
Terrebonne, Québec
J6W 6H3
1-877-687-0109

SELECTIVE HERBICIDE:

A.D.I.O.S.TM WSG Weed Killer acts rapidly to selectively control: Dandelion*, Ragweed, Ground Ivy (creeping Charlie), White Clover, and Poison Ivy**.

DESCRIPTION:

A.D.I.O.S.TM WSG Weed Killer is an odorless, post-emergent foliar treatment that rapidly desiccates the target weed. When applied according to label directions, **A.D.I.O.S.TM WSG Weed Killer** travels through the foliage, stems and root system. Visible signs of control may be seen within 24 hours after application due to rapid loss of water from plant cells.

DIRECTIONS FOR USE:

Mixing Instructions

1. Fill a hand held sprayer with nozzle that will give a coarse spray (e.g. back-pack sprayer, atomizer bottle) 1/2 full of the recommended water.
2. Add the desired amount of A.D.I.O.S.TM WSG Weed Killer according to the Mixing & Application chart and stir the solution until the granules are totally dissolved. Make sure that the water-soluble granules are well dissolved BEFORE moving to step 3.
3. Fill up the sprayer container with the remaining amount of water needed and allow to mix thoroughly for 5 minutes.

SHAKE WELL BEFORE USING.

Spray weeds using a coarse nozzle setting to reduce drift until foliage, crown and stems are thoroughly wetted to the point of runoff.

Best results are obtained when applied prior to flowering and while plants are still small. Smaller plants are less likely to experience re-growth. Some mature weeds may require a second application.

Mixing & Application Chart			
WEEDS	MIXING RATE (DILUTION)		APPLICATION PER SEASON
	A.D.I.O.S. WSG	Water	
Ragweed*	120 g	1 L	1
Poison Ivy**	180 g	1 L	3
Dandelion***	120 g	1 L	1-2
Ground Ivy	120 g	1 L	1
White Clover	120 g	1 L	1

*COMMON RAGWEED CONTROL:

Applications are most effective for the control of common ragweed when applied prior to flowering. Flowering may occur in common ragweed plants varying in height from as little as 5 cm to more than 1 metre. Smaller common ragweed plants are less likely to experience regrowth following an application. Apply as a directed spray to common ragweed foliage to the point of leaf run-off. Thorough spray coverage of the plant canopy is necessary. Foliage that does not receive the spray application will be unaffected. Wilting and desiccation of leaves may be observed within 24 hours of the application when applications are made under the conditions described in this label.

** POISON IVY CONTROL:

To ensure root kill, repeated applications (3 to 4 weeks apart) may be needed to control poison ivy. Application may need to be repeated the following year.

***** DANDELION CONTROL:**

To ensure dandelion root kill, make sure that the solution accumulates [pools] in the center of the crown as well as covers the leaves. For lawns, best results occur when applied shortly after mowing. Depending on the age and size, a second application may be needed to control dandelion. Spot treatment is highly recommended for optimal results. An average of 40mL per plant is required for a full control.

CONDITIONS:

For optimum control, apply **A.D.I.O.S.™ WSG Weed Killer** under sunny conditions when ambient temperature is at least 24°C. Some re-growth may occur following application made under less than favourable conditions such as cloudy or shady conditions, or when temperature is below 24°C. Do not apply when rain is forecast within the next hours.

Avoid use in sunny conditions when temperature exceeds 31°C or when winds are gusty. Foliage that is accidentally sprayed may be affected. Some other species including grasses and broadleaved plants may be affected. Do not apply on or near desirable plants such as vegetables or ornamental plants. If desired plants are contacted, rinse them off immediately with water.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

May cause eye and skin irritation. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Wash hands after handling and before meals.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS:

May be harmful to freshwater aquatic species and to plants that are not saline tolerant. TOXIC to aquatic organisms and non-target terrestrial plants. Sodium chloride may attract large mammals such as deer. Avoid using this product along roadsides in areas where high densities of deer are known to occur.

STORAGE:

Keep container tightly closed. Keep container in a cool, well-ventilated area.

DISPOSAL:

Do not reuse empty container. Wrap and dispose of empty container with household garbage.

In case of emergency, spills or fire, or for additional product information, call toll-free 1-877-687-0109. www.herbanatur.com