[Container - Primary Panel - English]

Kills Weeds, NOT Lawns™ [ICON]

SCOTTS® WEED B GON® MAX READY-TO-SPRAY WEED CONTROL FOR LAWNS

Solution DOMESTIC SELECTIVE HERBICIDE

Treats $22.5 - 90 \text{ m}^2$

ACTIVE INGREDIENT: Iron (present as FeHEDTA) 2.0%

Contains 5-chloro-2-methyl-4-isothiazolin-3-one at 0.0007571% and 2-methyl-4-isothiazolin-3-one at 0.0002479%, as preservatives

REG. NO.: _33360_____ P.C.P. ACT

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN POTENTIAL SKIN SENSITIZER

100 mL - 1 L

Scotts Canada Ltd. 2000 Argentia Road Plaza #2, Suite 300 Mississauga, Ontario L5N 1V8 1-800-668-5669

Made and printed in U.S.A.

Peel back for instructions Press to reseal

SCOTTS® WEED B GON® MAX READY-TO-SPRAY WEED CONTROL FOR LAWNS

SELECTIVE HERBICIDE

For use on lawn turf consisting of one or more of Kentucky bluegrass, perennial ryegrass, and fescue (tall fescue, chewings fescue, and/or creeping fescue) for control or suppression of broadleaf weeds.

PESTS/SITES:

Controls the following lawn weeds: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle, Common chickweed, Creeping buttercup, Slender speedwell, Narrow-leaved plantain, Broad-leaved plantain (suppression only), Dove's-foot geranium, Wild geranium, Lawn burweed, Moss, and Algae.

APPLICATOR DIRECTIONS:

APPLICATOR DIRECTIONS:	
[ILLUSTRATION]	• Connect sprayer to hose.
Connect:	• Turn on water.
[ILLUSTRATION]	• To begin spraying, point nozzle in the direction
Spray:	you want to spray.
	With thumb slide trigger completely forward to the ON position.
	• Spray evenly over measured area at a rate of 100-400 mL/m². The standard rate is 200 mL spray/m²; use the higher rate (400 mL spray/m²) on the following tough perennial weeds: broad-leaved plantain (suppression only), creeping buttercup, and Canada thistle. For Canada thistle, best results are obtained when weeds are less than 15 cm tall and two applications may be required for control. May also be used at 100 mL spray/m² on moss, black medic, slender speedwell, wild geranium or on weed seedlings of false dandelion, English daisy, dandelion or white clover. A second application at this rate may be required to achieve control of these weeds.
[ILLUSTRATION]	To STOP spraying, slide thumb activation switch
Finish:	backward to OFF position.
	• Turn off water.
	Relieve water pressure by sliding thumb switch to
	WATER position until water slows to a drip. Then, slide switch back to OFF position.
	Disconnect sprayer from hose.

DIRECTIONS FOR USE:

SHAKE WELL BEFORE USING. One litre of product will treat between 22.5 and 90 m² (242 and 968 ft²). Thorough and uniform coverage is important. Water lawn 24 hours after each application. Repeat treatment every three to four weeks if necessary, up to a maximum of 4 applications per year. For spot treatment, spray weeds until foliage is thoroughly wetted, just to the point of runoff. Visible signs of control may be seen within hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to several weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions: Do not apply to drought stressed grass; ensure that the lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 30°C. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas until four or more weeks after grass seedlings have emerged. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed immediately with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply more than 4 times per area per year. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS:

CAUTION: KEEP OUT OF REACH OF CHILDREN. Causes slight eye irritation. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, and chewing gum or chewing tobacco. Wear waterproof gloves during application or during mixing, loading, and repair/clean-up activities. DO NOT get in eyes. Avoid breathing vapour or spray mist. Do not re-enter or allow re-entry into treated areas until the spray is dried. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh

air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE:

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Protect from freezing. To prevent contamination store this product away from food or feed.

DISPOSAL:

Do not reuse empty container. Dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

Questions, Comments or Medical Information: Call 1-800-668-5669 or visit our Website at www.scotts.ca

® used under license by Scotts Canada Ltd.
©2019 Scotts Canada Ltd. World rights reserved.



Manufactured under a license of W. Neudorff GmbH KG

[OPTIONAL STATEMENTS:]

- SELECTIVE BROADLEAF HERBICIDE
- People and pets can enter treated area when spray dries.
- No unpleasant odor.
- Made with iron.
- Rainfast in 3 hours
- See result within hours
- KILLS WEEDS, NOT LAWNS
- (1 Litre) Will treat up to 90 m² (968 sq. ft)
- Thoroughly soak weeds to the point of runoff
- Second application may be required