

**READ THE LABEL BEFORE USING**

**NET CONTENTS:  
25 Kg – 500 kg**

## **NewAgco Glufosinate Technical II Herbicide**

Solid  
FOR USE IN MANUFACTURING, FORMULATING, OR REPACKAGING

DANGER



POISON

**ACTIVE INGREDIENT: GLUFOSINATE AMMONIUM ... 95%**

**REGISTRATION NO. 34222 PEST CONTROL PRODUCTS ACT**

**FOR FURTHER INFORMATION, CONTACT:**

**NewAgco, Inc.**  
320 22<sup>nd</sup> Street East  
Saskatoon (Sask.) S7K 0H1 Canada  
1-844-269-3276

Distributed by:  
**AgraCity Crop & Nutrition Ltd.**  
320 – 22<sup>nd</sup> Street East  
Saskatoon (Sask.) S7K 0H1 Canada  
1-844-269-3276

---

**DIRECTIONS FOR USE:**

To be used only in the manufacture of an herbicide which is registered under the *Pest Control Products Act*.

**PRECAUTIONS:**

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Fatal or Poisonous if swallowed. Harmful if inhaled. Avoid contact. Avoid inhaling/breathing dusts and sprays. Wash thoroughly after using or before eating or smoking. Wear protective clothing including goggles and respirator when handling technical material.

**FIRST AID:**

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call  
CHEMTREC 1-800-424-9300 / +1 703-527-3887****TOXICOLOGICAL INFORMATION:**

Initial signs of poisoning include vomiting, diarrhoea and nausea. Neurological symptoms (which may include impaired consciousness, convulsions, tremor, and coma) may appear suddenly without prior warning, with a delay (latency period) of 8 to 48 hours. Induction of vomiting is not recommended. It should only be considered if a large amount has been swallowed, if the ingestion occurred within the previous hour, and if the patient is fully conscious. Gastric lavage should be considered within the first 2 hours after ingestion. As there is no specific antidote, treatment should be symptomatic and supportive. In case of convulsions, benzodiazepines should be given. If not effective, phenobarbital can be used.

**STORAGE:**

Keep in original container during storage. Do not contaminate or store near feed, seeds, or foodstuffs. Keep away from fire, open flame, or other sources of heat. Do not store at temperatures below 0 degrees C or above 50 degrees C. Normal storage temperatures should be between 5-30 degrees C.

**DISPOSAL:**

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial regulations. For additional details and clean up of spills, contact the manufacturer and the provincial regulatory agency.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.