

2017-7387
2019-03-27

NALCO 73650S

MICROBIOCIDES

TABLET

COMMERCIAL
WARNING

[SCULL IN TRIANGLE]

CORROSIVE [HAND IN TRIANGLE]

POISON

CORROSIVE TO EYES AND SKIN

READ THE LABEL BEFORE USING

REGISTRATION NO.: 33345
PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT:

Available Chlorine56%
Present as Sodium Dichloro-s-triazinetriene

Net Contents:

Nalco Canada ULC
1055 Truman Street, P.O. Box 5002
Burlington, Ontario L7R 3Y9
TEL: (905) 633-1000
**PHONE IN CASE OF EMERGENCY:
CANADA 1-800-463-3216 (24 HOURS)**

DIRECTIONS FOR USE:

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE IN RECIRCULATING WATER SYSTEMS. This product is intended for use in the following aquatic sites: Air Washer Water Systems, Commercial/Industrial Water Cooling Systems, Evaporative Condenser Water Systems, Industrial Scrubbing Systems, Industrial Auxiliary Water Systems, Industrial Process Water, Cannery Cooling Water systems, Heat Exchange Water Systems.

For control of bacteria (including slime forming), fungi and algae, add product to the tower basin, distribution box or some other point in the system via the designated NALCO feeder to insure uniform mixing. Load canister(s) in NALCO feeder to dispense tablets. Badly fouled systems must be pre-cleaned before treatment is begun.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

This product is to be used only with the NALCO Feeder System and canister packaging.

INDUSTRIAL SCRUBBING SYSTEMS, INDUSTRIAL AUXILLIARY WATER SYSTEMS & HEAT EXCHANGE WATER SYSTEMS**Intermittent or Slug Method****Initial Dose:**

When the system is noticeably fouled, apply the product to achieve 0.2-10 mg/L free available chlorine.

Subsequent Dose:

When microbial control is evident, add this product to achieve 0.2-5 mg/L free available chlorine.

Continuous Feed Method**Initial Dose:**

When the system is noticeably fouled, add this product in the system to achieve 0.2-10 mg/L free available chlorine.

Subsequent Dose:

When microbial control is evident, add this product in the system to achieve 0.2-5 mg/L free available chlorine.

AIR WASHER WATER SYSTEMS, COMMERCIAL/INDUSTRIAL WATER COOLING SYSTEMS, EVAPORATIVE CONDENSER WATER SYSTEMS, INDUSTRIAL PROCESS WATER & CANNERY COOLING WATER SYSTEMS**Intermittent or Slug Method****Initial Dose:**

When the system is noticeably fouled, apply the product to achieve 0.2-5 mg/L free available chlorine.

Subsequent Dose:

When microbial control is evident, add this product to achieve 0.2-5 mg/L free available chlorine.

Continuous Feed Method**Initial Dose:**

When the system is noticeably fouled, add this product in the system to achieve 0.2-5 mg/L free available chlorine.

Subsequent Dose:

When microbial control is evident, add this product in the system to achieve 0.2-5 mg/L free available chlorine.

ENVIRONMENTAL PRECAUTIONS:

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Strong oxidizing agent. May cause fire or explosion if contaminated. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Fatal if swallowed. May be fatal if inhaled. Avoid inhaling dusts. CORROSIVE to the eyes. DO NOT get in eyes. Severely irritating to the skin. DO NOT get on skin. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes and a NIOSH-approved N95 (minimum) filtering facepiece respirator (dust mask) that is properly fit tested during mixing, loading, application, clean-up and repair. In addition wear protective eyewear (goggles or faceshield) during mixing and loading. Harmful if swallowed. Keep container closed and store in a cool, dry location.

FIRST AID:

If swallowed: call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

DISPOSAL:

1. Triple – or pressure – rinse the empty container. Add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the Manufacturer and the Provincial Regulatory Agency in case of spill and for cleanup of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

Lot No.:

TDG Shipping Name:

11/17