

2021-1896
2021-06-15

PIC Mosquito Repellent Coils₁

Kills Mosquitoes
Each Coil Burns up to 6 Hours DOMESTIC

ACTIVE INGREDIENT: d-cis trans allethrin 0.20%

REG. NO. 34179 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

Warning, contains the allergen wheat.

This product contains naphtha at 1.5 %, which requires further toxicological testing.

Net Contents: Package containing 1- 100 coils with metal holders –

Each Coil weighs approximately 11 grams.

PIC CORP.
1101-1107 WEST ELIZABETH AVENUE
LINDEN NJ 07036-1458
UNITED STATES
1 908-862-7977

2021-1896
2021-06-15

DIRECTIONS FOR USE: Use stand as a holder for the coil. Pull the center piece to an upright position. Loosen outer rings of coil until ends move freely. Grasp each "comma-shaped" portion in the center between thumb and forefinger of each hand. Separate the comma-shaped portions by gently pressing them in opposite directions 5 millimeters apart. Hold one comma-shaped end and shake lightly or gently pry apart to separate coils. Insert tip of coil stand into slot in comma-shaped end of coil. Light outer end of coil until glowing. Blow out any flame and allow to smoulder. Place coils 2-3 m (6-10 ft) apart around area to be protected. Use outdoors.

For best results, do not use in wind. Areas such as backyards, patios, decks, etc. which are protected or sheltered from wind are more easily protected by coils. In light winds, place coils upwind where possible to make use of associated drift. If shorter periods of use are desired, break coil into appropriate lengths and place in notched cut-out of holder. One coil will burn for approximately 6 hours.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Cover exposed food. Avoid prolonged inhalation of smoke. Do not touch lit end. Do not place on flammable surfaces. After using, wash hands with soap and water.

FIRST AID: If irritation or other adverse skin effects develop, wash affected area with soap and water immediately. Seek medical attention if symptoms persist.

If in eyes: remove contact lenses, and flush eyes with water for 15 minutes.

If inhaled: if person is not breathing, give artificial respiration.

If swallowed: DO NOT induce vomiting. DO NOT give any liquid. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE AND DISPOSAL: Store in a cool, dry place in original container. Do not reuse empty container. Wrap empty container and place in garbage.