COMMERCIAL (AGRICULTURAL)

SIDEKICK[®] NT

Non-ionic Spray Adjuvant

For use with Pest Control Products as labeled.

ACTIVE INGREDIENT: Surfactant Blend...... 100%

Solution



WARNING - POISON EYE AND SKIN IRRITANT READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 35232 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 9.5-1000 LITRES

Norac Concepts Inc. PO Box 31097 Guelph ON N1H 8K1 (519) 821-3633

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful or fatal if swallowed. May be harmful if absorbed through the skin. Avoid contact with skin and clothing. Severely irritating to the eye. DO NOT get in eyes. Severely irritating to the skin. DO NOT get on skin.

HANDLING

During mixing, loading, application, spill clean up and sprayer clean-up, maintenance or repair, wear a long-sleeved shirt, long pants and chemical resistant gloves. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Avoid breathing spray mist.

RE-ENTRY

Workers should not enter treated fields within the period of re-entry time stated on the label of the pesticide applied in conjunction with SIDEKICK NT NON-IONIC SPRAY ADJUVANT

STORAGE

Store in a cool, dry and well-ventilated area. Keep in original container tightly closed in a safe place when not in use. Store this product away from food or feed.

SPILL CLEANUP

Soak up spill with absorbent material (kitty litter, granular clay, soil) and collect into a waste container. Wash spill site with water after material pick-up and dispose with waste. See DISPOSAL statement below.

DISPOSAL

For information on disposal of unused, unwanted product, contact the manufacturer and the provincial/territorial regulatory agency. Contact the manufacturer and the provincial/ territorial regulatory agency in case of a spill, and for clean up of spills.

RECYCLABLE CONTAINER

:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container

collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. 2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial/territorial requirements.

FOR REFILLABLE CONTAINERS:

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not use this container for any other purpose.

EMERGENCY TELEPHONE NUMBER: All hours, (613) 787-5620 ONLY for health and environmental information.

DIRECTIONS FOR USE

The rate of SIDEKICK NT NON-IONIC SPRAY ADJUVANT is indicated for the control product spray mixtures or otheruses listed below. Control product spray mixtures, their preparation and uses are to be derived from the individual labels for the control products.

Control Product Spray Mixture	Amount of SIDEKICK NT NON-IONIC SPRAY ADJUVANT per litre of spray mixture	Remarks
ACTIVOL®	250 mL/1000 L	For use on sweet and sour cherries.
FALGRO® Tablet Plant Growth Regulator	250 mL/1000 L	For use on sour cherries.
FOLICUR 432 F FOLIAR FUNGICIDE, TEBUSTAR 432, TOLEDO 430 SC FOLIAR FUNGICIDE, ORIUS 430 SC HORNET 432 F, PALLISER FOLIAR FUNGICIDE	1.25 L/1000 L	Consult the product labels for use directions.
PROLINE 480 SC FOLIAR FUNGICIDE	1.25 L/1000 L	PROLINE 480 SC should be thoroughly dispensed prior to the addition of SIDEKICK NT NON-IONIC SPRAY ADJUVANT.
AMBUSH® 500EC, POUNCE® 384 Insecticide	300 mL/1000 L	For use on cole crops.
REGLONE® DESICCANT, REWARD AQUATIC HERBICIDE	1 L/1000 L	Do not use SIDEKICK NT NON-IONIC SPRAY ADJUVANT with REGLONE for corn spurry control. Do not use SIDEKICK NT NON-IONIC SPRAY ADJUVANT with RELGONE for potatovine killing except as recommended for use in the prairie provinces with the 1.25L/ha rate of REGLONE.
, PINNACLE SG HERBICIDE, REFLEX®LIQUID HERBICIDE, TELAR® XP HERBICIDE	1 L/1000 L	Add SIDEKICK NT NON-IONIC SPRAY ADJUVANT as the last ingredient. FLAT-OUT antifoam agent may be required. Consult each product label for use.

ALLY® Herbicide ALLY Herbicide Toss-N-Go 60% Dry Flowable, , Refine SG Herbicide, MUSTER Toss-N- Go Herbicide, PEAK 75WG HERBICIDE, , ESCORT® Herbicide, COMPAS 480 EC HERBICIDE, CURTAIL M® Herbicide, LONTREL® 360 Herbicide, PARDNER®Herbicide, NUFARM KORIL 235 LIQUID HERBICIDE, CLEARVIEW HERBICIDE.	2 L/1000 L	Add SIDEKICK NT NON-IONIC SPRAY ADJUVANT as the last ingredient. FLAT-OUT antifoam agent may be required. Consult each product label for use.
PURSUIT 240, PURSUIT HERBICIDE FOR SOYBEANS (AGRICULTURAL), PURSUIT HERBICIDEPURSUIT 70 DG HERBICIDE, ODYSSEY® WDG Herbicide, DISTINCT HERBICIDE, DISTINCT WDG HERBICIDE, UPBEET® Herbicide Dry Flowable 50%, , AIM EC HERBICIDE,	2.5 L/1000 L	Add SIDEKICK NT NON-IONIC SPRAY ADJUVANT as the last ingredient. Consult each product label for use information.

SIMPLICITY, OVERDRIVE HERBICIDE,		
ELEVATE® 50WDG Fungicide	200 mL/1000 L	For use on grapes
ROUNDUP Transorb Liquid Herbicide, ROUNDUP TRANSORB MAX LIQUID Herbicide, RENEGADE®HC LIQUID HERBICIDE, CREDIT 45 HERBICIDE, NUFARM CREDIT LIQUID HERBICIDE, NUFARM CREDIT 360 LIQUID HERBICIDE, MAVERICK III HERBICIDE, IPCO FACTOR 540 LIQUID HERBICIDE, R/T540 LIQUID HERBICIDE, TOUCHDOWN TOTAL Herbicide, ROUNDUP WEATHERMAX WITH TRANSORB 2 TECHNOLOGY LIQUID HERBICIDE, ROUNDUP TRANSORB HC LIQUID HERBICIDE, AND ROUNDUP ULTRA 2 LIQUID HERBICIDE	350 mL/ha in 50 to 100 L 500 mL/100 L	Quackgrass, Minimum or Zero tillage, seeding and summerfallow uses. Quackgrass - for water volumes of 150 to 300 L/ha. FOLLOW NON-IONIC SURFACTANT RATE RECOMMENDATIONS ON PRODUCT LABELS

NOTE: Do not exceed the recommended rate of SIDEKICK NT NON-IONIC SPRAY ADJUVANT, particularly with products containing their own wetting agent. Too much wetting agent can lead to loss of spray due to excessive run-off. Consult each product label for complete use instructions.

® SIDEKICK is a registered Trademark of Norac Concepts Inc.
TM - ® All products listed are trademarks or registered trademarks of their respective companies