INTACE B-6773

COMMERCIAL MATERIAL PRESERVATIVE AND FUNGICIDE SOLUTION

ACTIVE INGREDIENTS:

Contains 1,2-Benzisothiazolin-3-one at 0.015% as a preservative

REGISTRATION NO. 35257

PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING



POISON

POTENTIAL SKIN SENSITIZER EYE IRRITANT NET CONTENTS: 1 L - 1250 L

LANXESS Corporation 111 RIDC Park West Drive Pittsburgh, PA 15275-1112 1-800-LANXESS

EMERGENCY TELEPHONE NUMBERS

TRANSPORTATION EMERGENCIES ONLY:

CANUTEC (Canada): 1-613-996-6666 CHEMTREC: 1-800-424-9300 (USA); 1-703-527-3887 (International)

ALL OTHER EMERGENCIES:

LANXESS: 1-800-410-3063 (USA); 1-866-673-6350 (Canada)

PRECAUTIONS:

Severely irritating to the eye. DO NOT get in eyes. Harmful if inhaled. Potential skin sensitizer. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes and protective eyewear (goggles or face shield) during mixing, loading, application, clean-up and repair. Avoid breathing dusts and sprays.

For use with closed loading and transfer systems only (i.e. dry coupling).

A closed transfer system is defined as a procedure for removing a pesticide from its original container, rinsing the emptied container and transferring the pesticide and rinse solution through connecting hoses pipes, and coupling that are sufficiently tight to prevent exposure of any person to the pesticide or rinse solution. Furthermore, the closed transfer system must be equipped with a dry coupling system that is designed to drip less than 2 mL per coupling.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms.

STORAGE:

Store in a cool place. Store this product away from food or feed.

DISPOSAL:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to treatment site.
- 2. Follow provincial or territorial instruction for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial or territorial requirements.
- 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial or territorial regulatory agency. Contact the manufacturer and the provincial or territorial regulatory agency in case of a spill, and for cleanup of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE:

This product is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal, provincial or territorial regulatory requirements. The requirements of applicable laws should be determined before using this product.

DO NOT apply by air.

Paper and Paperboard:

Use at a rate of 2500 ppm - 5000 ppm Intace B-6773 (1000 ppm - 2000 ppm active ingredient) based on the weight of the paper/paperboard to control fungal growth.