

2024-0229  
2024-01-19

## **Miraculous Glufosinate ammonium Technical**

**HERBICIDE**

Solid

FOR USE IN MANUFACTURING, FORMULATING, OR REPACKAGING



**ACTIVE INGREDIENT: GLUFOSINATE AMMONIUM ... 98.35%**

**REGISTRATION NO. 35081  
PEST CONTROL PRODUCTS ACT**

**READ THE LABEL BEFORE USING**

**NET CONTENTS:  
1 Kg – 1000 Kg**

### **FOR FURTHER INFORMATION, CONTACT:**

Inner Mongolia Miraculous Crop Science Co., Ltd.  
Add: Bayin Aobao Industrial Park, Alxa Economic Development Zone,  
Alxa League, Inner Mongolia, 750336 China  
Tel: +86-483-2222008 Fax: +86-483-2222007

Canadian Representative:  
Hanson Industry Company  
400 Sangeet Place, Richmond Ontario K0A 2Z0 Canada  
Phone: +1-519-702-2185  
Email: hanshuyou@gmail.com

2024-0229

2024-01-19

**PRECAUTIONS:**

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Fatal or Poisonous if swallowed. Harmful if inhaled. Avoid contact. Avoid inhaling/breathing dusts and sprays. Wash thoroughly after using or before eating or smoking. Wear protective clothing including goggles and respirator when handling technical material.

**FIRST AID:**

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Medical personnel should contact Hanson Industry Company Information Services, call at: +1-519-702-2185

**TOXICOLOGICAL INFORMATION:**

Initial signs of poisoning include vomiting, diarrhoea and nausea. Neurological symptoms (which may include impaired consciousness, convulsions, tremor, and coma) may appear suddenly without prior warning, with a delay (latency period) of 8 to 48 hours. Induction of vomiting is not recommended. It should only be considered if a large amount has been swallowed, if the ingestion occurred within the previous hour, and if the patient is fully conscious. Gastric lavage should be considered within the first 2 hours after ingestion. As there is no specific antidote, treatment should be symptomatic and supportive. In case of convulsions, benzodiazepines should be given. If not effective, phenobarbital can be used.

**STORAGE:**

Keep in original container during storage. Do not contaminate or store near feed, seeds, or foodstuffs. Keep away from fire, open flame, or other sources of heat. Do not store at temperatures below 0 degrees C or above 50 degrees C. Normal storage temperatures should be between 5-30 degrees C.

**DISPOSAL:**

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial/territorial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial/territorial regulatory agency.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

**DIRECTIONS FOR USE:**

To be used only in the manufacture of an herbicide which is registered under the *Pest Control Products Act*.