

Raxil Pro MUP

SUSPENSION

FOR USE IN MANUFACTURING, FORMULATING AND REPACKAGING

ACTIVE INGREDIENT: tebuconazole...... 3.0 g/L

prothioconazole...15.4 g/L metalaxyl...... 6.2 g/L

REGISTRATION NO. 35013 PEST CONTROL PRODUCTS ACT

DANGER - CORROSIVE TO EYES

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

READ THE LABEL BEFORE USING

PROTECT FROM FREEZING

NET CONTENTS: 1 L – BULK

Bayer CropScience Inc. Suite 200, 160 Quarry Park Blvd. SE Calgary, AB T2C 3G3

For product information: 1-888-283-6847 www.cropscience.bayer.ca

In case of spills, poisoning, fire or other emergencies, call: 1-800-334-7577 (24 hours a day)

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE:

To be used in the manufacture of products registered under the the Pest Control Products Act.

PRECAUTIONS:

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

DANGER – Causes irreversible eye damage. Harmful if swallowed, inhaled, or absorbed through skin. DO NOT get in eyes. Avoid contact with skin and breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Formulators and other handlers must wear long pants, a long-sleeved shirt, chemical-resistant gloves, protective eyewear (goggle or face shield), shoes and socks.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

There is no specific antidote if this product is ingested. Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS:

TOXIC to aquatic organisms. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters. The use of this product may result in contamination of groundwater particularly in areas where soils are permeable (e.g., sandy soil) and/or depth to the water table is shallow.

STORAGE:

Store product in original container only, away from other pesticides, fertilizer, food or feed.

Store in a cool, dry place and avoid excessive heat. Protect from freezing. Keep away from direct sunlight. Keep container closed. Store this product away from food or feed.

DISPOSAL:

Canadian manufacturers should dispose of unwanted active ingredient and containers in accordance with municipal and provincial/territorial regulations. For additional details and cleanup of spills, contact the manufacturer and the provincial/territorial regulatory agency.