# FBN MCPA Ester Technical HERBICIDE LIQUID

FOR MANUFACTURING, FORMULATING OR REPACKAGING

ACTIVE INGREDIENT: MCPA, present as 2-ethylhexyl ester.....60.3%



**POISON** 

**DANGER - CORROSIVE TO EYES** 

REGISTRATION NO.: 34972 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 1 L to Bulk

READ THE LABEL BEFORE USING.
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

Farmer's Business Network Canada, Inc.
PO Box 5607
High River, Alberta
Canada T1V 1M7
1-844-200-FARM (3276)

**24 HOUR EMERGENCY PHONE: 1-613-996-6666** 

## **DIRECTIONS FOR USE:**

To be used only in the manufacture of a herbicide which is registered under the PEST CONTROL PRODUCTS ACT.

## **PRECAUTIONS:**

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Harmful if swallowed. May cause skin and eye irritation. Avoid contact with skin, eyes and clothing. Wear protective goggles and gloves when handling. Wash hands and exposed skin thoroughly after handling.

## **FIRST AID:**

**If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## TOXICOLOGICAL INFORMATION:

High concentrations of MCPA may cause severe irritation to the eyes. Symptoms of overexposure to MCPA could include slurred speech, twitching, jerking and spasms, drooling, low-blood pressure and unconsciousness. Treat symptomatically.

#### **STORAGE:**

Keep in original container during storage. Store product in cool, dry, well-ventilated place away from seed, fertilizer or other pesticides. Keep away from fire or open flame, or other sources of heat.

#### **DISPOSAL:**

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial regulations. For additional details and clean up of spills, contact the manufacturer and the provincial regulatory agency.

## **SPILLAGE CLEAN-UP:**

Keep bystanders away. Do not smoke, drink or ear during cleanup operations. Wear protective equipment (coveralls, rubber boots, and protective gloves). Absorb the liquid onto soil, sawdust or other suitable absorbent material and shovel into a drum, add broken packages to the drum and seal for removal to an approved disposal site. Remove and wash all protective clothing and equipment. Shower and wash thoroughly with soap and water on completion of mopping up operation. For details on spill cleaning refer to "Disposal".

# **NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *PEST CONTROL PRODUCTS ACT* to use this product in a way that is inconsistent with the directions on the label.