

# Trustchem 2,4-D 2-ethylhexyl ester technical

HERBICIDE

FOR MANUFACTURING USE ONLY

LIQUID

ACTIVE INGREDIENT: 2,4-D, present as 2-ethylhexyl ester... 64.58%

REGISTRATION NO. 35277 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN  
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

**WARNING**  **POISON**

NET CONTENTS: 1-1050 kg

Trustchem North America Inc  
2087 Youngstown Gate  
Oakville, ON L6M 5G4  
Tel/Fax: +1-647-6775569

Registration Agent:  
Hanson Industry Company  
400 Sangeet Place, Richmond, ON K0A 2Z0 Canada  
1-519-702-2185  
Email: [hanshuyou@gmail.com](mailto:hanshuyou@gmail.com)

## **PRECAUTION**

**KEEP OUT OF REACH OF CHILDREN  
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL  
MAY CAUSE IRRITATION TO EYES AND SKIN  
MAY BE HARMFUL IF SWALLOWED  
AVOID CONTACT WITH EYES, SKIN AND CLOTHING**

## **FIRST AID**

**Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.**

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

## **TOXICOLOGICAL INFORMATION**

This product may cause mild irritation to the eyes. Overexposure to 2,4-D may cause coughing, burning, dizziness or temporary loss of muscle coordination. Other possible effects of overexposure include fatigue, muscle weakness or nausea. Treat symptomatically. No specific antidote. Employ supportive care. Treatment should be based on judgment of the physician in response to reactions of the patient.

**Do not ship or store with food, feeds, drugs or clothing.**

## **ENVIRONMENTAL PRECAUTIONS**

Direct contamination of any body of water with this product may kill fish. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

## **STORAGE**

Keep in original container during storage. Store in a cool, dry, well-ventilated place away from seed, feed, fertilizer or other pesticides. Do not contaminate water, food or feed by storage or disposal. Keep away from fire or open flame, or other source of heat.

## **DISPOSAL**

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial/territorial regulations. For additional details and cleanup of spills, contact the manufacturer and the provincial/territorial regulatory agency.

## **DIRECTIONS FOR USE**

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*. Because of their properties and intended uses, formulations containing Trustchem 2,4-D 2-ethylhexyl ester may require precautionary labelling differing from that given. Formulators should develop their own use and precautionary labelling based on the properties and intended uses of their own finished formulations and in accordance with all pertinent laws and regulations.

**NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in any way that is inconsistent with the directions on the label.