ZHONGSHAN GLUFOSINATE-AMMONIUM TECHNICAL

SOLID

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

REGISTRATION NO. 35313 PEST CONTROL PRODUCTS ACT

DANGER



POISON

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-424-9300

READ THE LABEL BEFORE USING
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL
NET CONTENTS: 25-1000KG

Distributed by:

Zhongshan Chemical Canada Corp.

411 MACKAY STREET

APARTMENT # 811

OTTAWA ON K1M 2K5 -Canada

Tel: +16137472870

DIRECTIONS FOR USE

To be used only in the manufacture of a pesticide which is registered under the *Pest Control Products Act.*

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Fatal or poisonous if swallowed.

Avoid inhaling/breathing dust. Harmful if inhaled. Avoid inhaling/breathing dusts and sprays.

Wash thoroughly after using or before eating or smoking. Wear protective clothing including goggles and respirator when handling technical material.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth - to - mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Initial signs of poisoning include vomiting, diarrhoea and nausea. Neurological symptoms (which may include impaired consciousness, convulsions, tremor, and coma) may appear suddenly without prior warning, with a delay (latency period) of 8 to 48 hours. Induction of vomiting is not recommended. It should only be considered if a large amount has been swallowed, if the ingestion occurred within the previous hour, and if the patient is fully conscious. Gastric lavage should be considered within the first 2 hours after ingestion. As there is no specific antidote, treatment should be symptomatic and supportive. In case of convulsions, benzodiazepines should be given. If not effective, phenobarbital can be used.

ENVIRONMENTAL PRECAUTIONS:

Do not contaminate water by cleaning equipment or disposal of wastes.

STORAGE

Keep in original container during storage. Do not contaminate or store near feed, seeds, or foodstuffs. Keep away from fire, open flame, or other sources of heat. Do not store at temperatures below 0 degrees C or above 50 degrees C. Normal storage temperatures should be between 5-30 degrees C.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial/territorial regulations. For additional details and clean-up of spills, contact the manufacturer and the provincial/territorial regulatory agency.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.