

16-JUL-1996

COUNTRY MIST

FLYING AND CRAWLING
INSECT SPRAY

PRESSURIZED INSECTICIDE SPRAY

A concentrated insecticide for use in Milk Parlours and Milk Houses and on dairy, beef cattle and horses to kill flying insects.

Can also be used in Restaurants, Hotels, Hospitals, Food Processing Plants, and other Commercial and Industrial Buildings, to kill flying and crawling insects.

COMMERCIAL

GUARANTEE:

Pyrethrins	0.50%
Piperonyl Butoxide	4.00%

REGISTRATION NO. 24617
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

NET CONTENTS 600 g

CITADEL ANIMAL HEALTH
420 Beaverville Road
Cambridge, Ontario N3C 2W4

Hold can upright while spraying. SHAKE WELL BEFORE USING.

DIRECTIONS: To kill houseflies, hornflies, mosquitoes and stable flies.

SPACE SPRAY: Kills flying insects in Milking Parlours and Milking Rooms. Direct spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 6 to 10 seconds per 30 m³. Remove all animals from treatment area before using a space spray. For best results, close all doors and windows during treatment and keep room closed for fifteen minutes before ventilating. Ventilate areas thoroughly for at least 30 minutes before animal re-entry. Insects must be contacted to be killed. Sweep up dead insects. Repeat as necessary with additional spraying of breeding areas. Spray only when temperature is under 32°C.

LIVESTOCK SPRAY: To treat Beef, Dairy Cattle and Horses against attack of houseflies, stable flies and horn flies, spray animals once daily with a fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of the hair only. Do not wet the hair or skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Do not spray directly on udder. Wash udders before milking. Do not use more often than once a day. Do not cover horses after treatment.

FLYING INSECTS: Flies, Mosquitoes, Wasps, and Flying Moths. Close doors and windows. Apply a 6-10 second burst per 30 m³ of space. Direct mist upwards in sweeping motion to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present. Insects must be contacted to be killed. Keep spray at least 1 m from interior walls, fabrics and furniture. Keep doors and windows closed for 15 minutes after each treatment. Ensure proper ventilation after sealed areas have been treated. Clean up dead insects. Spray only when temperature is under 32°C.

CRAWLING INSECTS: Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silver fish. Spray hiding places such as baseboards, moist areas, opening around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door frames, window sills, or in ant nests. Insects must be contacted with spray to be killed.

BED BUGS: Spray mattress, particularly around seams and tufts. Take beds apart, spray all joints. Repeat as required. Also spray cracks, crevices, baseboards and other possible hiding

places around the room.

FLEAS: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding and replace with fresh, clean bedding after treatment. Insects must be contacted to be killed. **DO NOT TREAT PETS WITH THIS PRODUCT.**

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Cover milk and milking utensils to prevent contamination from spray and dead insects. Do not contaminate feed or water troughs. Do not spray over milking equipment. (Any treated surfaces that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use). Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE:** Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate can or store at temperature over 50°C. Do not spray into or near any open flame or spark. In hospitals do not use in nurseries or rooms where infants, ill or aged persons are confined. In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. Not for use on humans. Avoid inhalation of spray.

FIRST AID: If sprayed in eyes or on skin, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention or call Poison Control Centre at once.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container with household garbage. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer

assumes to risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))