

85.12.31

STORE AWAY FROM CHILDREN

BUSAN*

DUAL PURPOSE

Liquid Seed Treatment

(Insecticide Fungicide)

CONTAINS:

BUSAN* FUNGICIDE and LINDANE
(From BHC) INSECTICIDE

A combination fungicide-insecticide containing Busan and Lindane for protection against wireworms and for the control of seed-borne diseases of wheat, oats, and barley.

AGRICULTURAL

DANGER POISON

READ THE LABEL BEFORE USING

4.5 LITRES

GUARANTEE

TCMTB 2-(Thiocyanomethylthio) Benzothiazole - 15% by weight.
Lindane (from BHC) - 21.5% by weight.

REGISTRATION NO. 11529
Pest Control Products Act

Symptoms of Poisoning

Nausea, vomiting, hyper-irritability, convulsions or coma, and other symptoms typical of organochlorine insecticide poisoning.

Poison

Call a Doctor in case of accident. Poisonous when inhaled, swallowed or absorbed through the skin. Do not get in eyes, or on skin or on clothing. Do not breathe vapours. Handle with care. Do not mix with other brands.

ANTIDOTE - FIRST AID

INTERNAL - If swallowed, cause vomiting by inserting finger into the throat or drink salt or mustard in warm water, (15 mL in a glass of water). CALL A PHYSICIAN immediately.

EXTERNAL - If spilled on skin, wash off at once with large quantities of soap and water. For eyes, flush immediately with clear water. CALL A DOCTOR in case of accident.

NOTE TO PHYSICIAN

Lindane is an organochlorine insecticide. Barbiturates may be given to control convulsions. Keep patient quiet. Oxygen may be indicated. Avoid use of adrenaline.

MANUFACTURED BY
BUCKMAN LABORATORIES OF CANADA, LTD.
1600-50th AVE.,
LACHINE, MONTREAL, QUEBEC
H8T 2V5

DIRECTIONS FOR USE

For ready-mix treaters, apply the following quantities per 25 kilograms of seed treated.

Wheat	39 mL
Oats	69 mL
Barley	50 mL

This formulation can be used as a drip system from inverted 4.5-litre jugs. See instructions enclosed for application using grain augers. Do not overtreat. Overtreating may cause reduction in germination. Seed to be treated should be well matured and dry. Do not use lightweight grain for seed. Apply to obtain a uniform coverage of seed.

Dual-Purpose Non-Mercury Liquid Seed Treatment is recommended for protection against wireworms, and for the control of stinking smut or bunt of wheat, false loose, and covered smut of barley, loose and covered smuts of oats, and seed and soil-borne seedling blights of wheat, barley, and oats.

IMPORTANT

Label treated seed "POISONOUS - DO NOT USE AS A FEED. This seed has been treated with Dual-Purpose Non-Mercurial Liquid Seed Treatment, 2-(Thiocyanomethylthio) Benzothiazole 15% by weight and Lindane (from B.H.C.) 21.5% by weight. Treated seed should not be stored longer than three weeks before planting."

NOTE

Do not mix with other liquid seed treatments. Clean out treating machinery before using Dual-Purpose Non-Mercurial Liquid Seed Treatment. Do not store in temperatures lower than -18'C.

CAUTION

- Wash thoroughly after handling or using and before eating or smoking.
- Avoid skin contact.
- Poisonous if swallowed, absorbed through the skin, or inhaled.
- Do not breathe vapors from the material or treated seed.
- Do not apply indoors unless good ventilation is provided
- Lindane is toxic to fish, birds, and wildlife.
- Burn or bury empty containers.
- Store seed in well-ventilated place.
- Wash contaminated clothing before re-use.
- Do not contaminate streams, lakes, irrigation water, livestock water supplies, or domestic water supplies.
- Wear goggles to protect eyes from possible splashing.

IMPORTANT

Use Comfo Farm Spray Respirator (MSA) and GMC Cartridge 10340 (MSA) or equivalent.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NON-WARRANTY

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))