

21-MAR-2005

29-JAN-2008 Notification - Change in Registrant

**LATER'S
TOMATO & POTATO DUST**

Insecticide-Fungicide
with Carbaryl and Fixed Copper

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

DOMESTIC

REG. NO. 16106 P.C.P. ACT

GUARANTEE:

Carbaryl	5%
Copper (from copper oxychloride)	7%

500 g

Notification Change

~~Spectrum Brands IP Inc.
10 Craig Street
Brantford, ON
N3R 7J1~~

Sure-Gro IP Inc.
P.O. Box 21001
Brantford ON
N3R 7W9

DIRECTIONS: Later's Tomato & Potato Dust is ready-to-use. Apply this dust to dry foliage when insects or damages first appear, at 7-10 day intervals. Obtain complete coverage; use lower rates for younger plants. Apply when potato plants are 5-10 cm high. Injury may occur if applied when the leaves are tender or wet, or in extended periods of high humidity.

10 g – 1 tablespoon

1 m – approx. 1 long pace

10 m² = 5m x 2m

HOW TO USE: Use 25-50 g per 10 m² to control Colorado Beetle, Early & Late Blight, European Corn Borer, Leafhopper, Potato Flea Beetle, Tomato Fruitworm, Tomato Hornworm. For Fall Armyworm, use lower rates. This application will also control Anthracnose, Grey Mold and Leaf Spot on Tomato.

For Stinkbugs: Use 50-60 g per 10 m².

For Climbing Cutworm: Use 30-40 g per 10 m of row applied in 25-30 cm band over row.

LIMITATIONS: Do not apply within 7 days of harvest. Do not feed crop refuse to animals.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation or contact with skin, or contamination of foods and feedstuffs and water receptacles. Wash with soap and water after handling and before eating, drinking or smoking.

ENVIRONMENTAL HAZARDS: Toxic to bees. Warn bee keepers to keep bees away from treated areas for one week. To protect wildlife and fish, do not contaminate lakes, ponds or streams.

FIRST AID:

IF SWALLOWED, induce vomiting. To do so, give 2 glasses of warm water to drink and insert finger or blunt object into mouth and touch back of victim's throat. Contact a doctor or poison control centre IMMEDIATELY. Never give anything by mouth to an unconscious person.

IF IN EYES, flush with water for 15 minutes and get medical attention.

IF ON SKIN, wash with soap and water.

Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not reuse empty container. Wrap container and discard in household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.