

91.10.11

KEEP LOCKED UP OUT OF REACH OF CHILDREN

Read the Label Before Using this product

Dimethoate
technical

For formulation of insecticides only

GUARANTEE: Dimethoate 96.0%
Registration Number 20350
Pest Control Products Act

Warning Poison

NOTE TO PHYSICIAN

Antidote: Atropine sulphate. Inject IV atropine sulphate 2-4mg for adults (0.04-0.08mg/kg body weight for children) every 3-10 minutes until atropinised, as shown by dilated pupils, flushing of the skin and dry mouth. If available, also administer, preferably within 36 hours 2-PAM, P2S or Toxogonin according to manufacturers instructions. Convulsions should be treated with diazepam (Valium), 5-10mg for adults (2-5mg/kg for children) either IV or per rectum. DO NOT give morphine or other opiates. Keep airway clear and watch respiration. Artificial respiration may be required. Observe in hospital for at least 48 hours. Confirm diagnosis by determining the cholinesterase activity in venous blood.

net contents
150 kg

Henley Chemicals Limited,
420 Finchdene Square, Scarborough, Ontario M1X 1C2 Canada
Tel: (416) 297-0999

DIRECTIONS FOR USE

To be used only in the manufacture of an insecticide which is registered under the Pest Control Products Act. Read Technical Bulletin for formulation details.

PRECAUTIONS

Harmful if swallowed, inhaled or absorbed through the skin.

Avoid contact with skin and eyes.

Wear overalls, nitrile rubber or neoprene gloves, boots and goggles or face shield.

Wash thoroughly after handling.

FIRST AID

Symptoms of poisoning are excessive sweating, salivation, headache, weakness, nausea, coma, respiratory arrest. If swallowed, call a physician or Poison Control Centre immediately. DO NOT induce vomiting. If in eyes, flush with water. If on skin, remove contaminated clothing, wash skin and get medical attention.

If inhaled, remove to fresh air. Obtain medical attention if symptoms develop.

TOXICOLOGICAL INFORMATION

LD50 (oral) 387 mg/kg. Toxic to fish.

DISPOSAL AND DECONTAMINATION

Do not contaminate water, food, feed by storage or disposal. Open dumping is prohibited. Wastes are toxic. Improper disposal of excess pesticide is a violation of law.

Canadian formulators of this technical material should dispose of unwanted active containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the regional office of Conservation and Protection, Environment Canada.

STORAGE

Store in a secure, cool, dry place and keep container tightly closed.

Dimethoate is stable for a long period when stored at temperatures not exceeding (23 deg C.).

Do not heat above (35 deg C.). At higher temperatures explosive decomposition may occur.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Dimethoate is supplied by

Shell International Chemical Company Limited
London SE1 7PG U.K.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))