

2000/2005

CO-OP®

Farm Building Spray

R.T.U. READY TO USE

INSECTICIDE OIL SPRAY

**CONTAINS PYRETHRINS AND PIPERONYL BUTOXIDE
AGRICULTURAL**

READ LABEL BEFORE USING

For the control of Flies,
Mosquitoes and other insects
on Dairy Cattle and in
Barns and Grain Storage Areas.

GUARANTEE:

Pyrethrins 0.2%
Technical Piperonyl
Butoxide 1.0%

REGISTRATION NO. 4627
PEST CONTROL PRODUCTS ACT

WARNING

POISON

INTERPROVINCIAL COOPERATIVE LIMITED.
P.O. BOX 1050, SASKATOON, SASKATCHEWAN S7K 3M9
WINNIPEG TORONTO MONTREAL MONCTON

CO-OP Farm Building Ready-to-use Oil Spray, can be used to control insects in grain elevators, grain annexes, warehouses, stores, food processing plants, homes, DAIRY BARNS, or wherever a non-contaminating but quick, effective insecticide is desired. Use as a space spray or fog or contact spray.

Accessible stages of weevils, cadelle, saw-toothed grain beetles, spider beetles, Mediterranean flour moth, meal-worms, drug store

beetles, cigarette beetles and grain beetles. (including rusty grain beetles) are killed on contact.

In homes and institutions it will kill on contact the exposed stages of flies, mosquitoes, carpet beetles, clothes moth, silverfish, cockroaches and ants. IF USED ON DAIRY CATTLE THIS SPRAY WILL CONTROL HOUSE FLIES, HORN FLIES, GNATS AND MOSQUITOES.

DIRECTIONS FOR USE

FOR SURFACE SPRAYING -- Apply as a coarse droplet spray to surfaces where insects are present, paying special attention to all cracks and crevices where insects hide. Spray ant trails around door sills, window frames or in ant nests. Insects must be contacted to be killed. Five litres will treat 100 m² of surface.

For the first application spray twice on consecutive days. Repeat treatments as needed at least once a month.

When treating granaries, elevators, mills or warehouses, remove all litter or debris. Apply to all areas (conveyors, hoppers, etc.). Special attention should be given to places where litter and debris tend to accumulate. Spray around the base of equipment thoroughly.

DAIRY BARNS AND BUILDINGS- Dairy cattle are protected from horn flies, stable flies, gnats, mosquitoes. Using a hand sprayer or similar device which delivers a light mist, spray each animal once daily only, 20 minutes before milking. Use 25-50 mL per animal. Wet ends of hair only. Do not soak hair or skin. Do not spray in animals eyes. Wash udders before milking. Do not use more often than once a day.

FOR SPACE SPRAYING-- Use an electric or compressed air applicator and follow machine manufacture's directions. Use about 400 mL for each 100 m³ of space. Remove all animals from treatment area before using as a space spray. Close all doors and windows and shut off ventilating systems. Direct spray upwards to all parts of the room especially windows and other light sources. Also direct mist into areas where insects are present. Spray only when temperature is under 32°C. Keep area sealed for 30 minutes after each treatment. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Ensure proper ventilation after sealed areas have been treated. Following ventilation, clean up dead insects.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Flammable mixture. Product contains Petroleum Distillate. Do not store, pour, or use

near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water or food stuffs. In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. Do not use in milk processing plants or milk parlours. Do not use near birds, fish or pets. Do not spray on plastic or varnished surfaces. Dispose of empty container in regular garbage.

FIRST AID: If in eyes, flush with plenty of water, If on skin, wash with soap and water. If irritation persists, obtain medical attention.

TOXICOLOGY

DANGER -- This product contains petroleum distillates, if ingested DO NOT induce vomiting. If patient is unconscious give him air. Obtain medical attention immediately.

NON-WARRANTY

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))