

17-FEB-1997

GUSTAFSON(R)

FLO - PRO(TM)

COMMERCIAL

MC SEED PROTECTANT

INSECTICIDE SUSPENSION

CONTAINS METHOXYCHLOR

FOR CONTROL OF STORED PRODUCT INSECTS

READ THE LABEL BEFORE USING

REGISTRATION NO: 11931
PEST CONTROL PRODUCTS ACT

GUARANTEE: Methoxychlor 448 g/litre (40.7%)

NET CONTENTS: 3.785 L

U.S. PATENT NO. 3,113, 399

A quality product manufactured by:

GUSTAFSON
1400 Preston Road
Suite 400
Plano, Texas 75093
(972) 985-8877

Gustafson (logo) is a reg. TM of Gustafson, Inc.
FLO - PRO is a TM of Gustafson, Inc.

PRECAUTIONS

Keep out of reach of children. Harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation of vapour or fumes. Avoid contact with skin, eyes or clothing. Wash with soap and water after handling and before eating or smoking. Wear clean clothing. Keep out of any body of water which contains fish or may be used for irrigation or domestic purposes. Do not contaminate mangers, drinking troughs or utensils. Avoid contamination of feed and food stuffs.

FIRST AID INSTRUCTIONS

IF ON SKIN: Remove contaminated clothing and wash skin thoroughly with soap and water.

IF IN EYES: Flush with water for 15 minutes and obtain medical attention.

IF SWALLOWED: Give patient one or two glasses of water and cause vomiting by giving one dose of syrup of ipecac. If patient does not vomit within 20 minutes, give second dose. If syrup of ipecac is not available, give the patient one or two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

NOTICE TO USER

This control product is to be used by professional seed processors only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

STORE IN COOL DRY PLACE
DO NOT FREEZE

DIRECTIONS FOR USE

1. Add FLO-PRO MC Seed Protectant concentrate to cool tap water and mix thoroughly for 15 minutes to prepare the Flo-Pro Mc dilution.

2. Add liquid dye and mix for additional 10 minutes.
3. Add mixture of FLO-PRO Mc dilution to seed at the following rates, using professional seed application equipment assuring complete and uniform coverage.

SEED	MILLILITRES OF CONCENTRATE DILUTED TO 10 LITRES	APP. RATE (ML) OF DILUTED PRODUCT PER 100 KG SEED
Beans, soybeans, peas	135	535
Pumpkin, squash, watermelon	60	935
Wheat	80	600
Rye	85	825
Corn (Sweet)	65	1065
Corn (Field)	85	600
Barley	80	710
Beet (Garden), Swiss chard	220	1290
Broccoli, Brussel Sprouts, Cabbage, Cauliflower	35	1290
Pepper	65	1290
Cantaloupe, Cucumber	90	935
Spinach	110	1290

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))