

91.01.28

SANEX

GREEN TEK
VAPO T-R

Total Release Aerosol

For Insect Control In Greenhouses

HORTICULTURAL

DANGER POISON

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 17462
PEST CONTROL PRODUCTS ACT

GUARANTEE:

Dichlorvos 7.2%

Net Contents: 432 g

Manufactured by:
SANEX INC.
2695 Slough Street,
Mississauga, Ontario
L4T 1G2

BRANCHES THROUGHOUT NORTH AMERICA

DIRECTIONS FOR USE:

Green Tek Vapo Total Release Spray is recommended for the control of exposed Red Spider (Spider Mites) Aphids, Whiteflies, Thrips, Mealybugs on carnations, roses, chrysanthemums and for Whitefly on tomatoes. For use on greenhouse tomatoes; do not apply within seven (7) days before harvest.

PREPARATION OF GREENHOUSE:

Close all doors, windows and ventilators, lock or barricade all

entrances, post warning signs, take precautions to prevent persons and animals entering the area. Be sure all blooms and foliage are dry. Room temperature should be 21 to 30 deg Celsius for best insect kill. Apply at a rate of 48 g per 100 cubic metres of greenhouse. The contents of this container is sufficient to treat 900 cubic metres.

DURATION OF EXPOSURE:

Length of exposure is 2 hrs., after which the house should be well ventilated - at least one hour before re-entry.

PRECAUTIONS:

Do not get on skin or eyes. Do not breathe fumes. Wear gloves impervious to Dichlorvos and protective clothing when handling. Wear a mask or respirator offering protection against dichlorvos insecticide. Keep out of reach of children. Do not store near nor contaminate feed or foodstuffs. Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes. Keep product away from flame or heat.

FIRST AID:

In case of poisoning, call a physician immediately. In case of skin contact, remove contaminated clothing and wash skin thoroughly. Wash all contaminated clothing before re-use. In case of eye contact, flush eyes with running water for 10 minutes. If the person has swallowed the material, induce vomiting by introducing a finger into the throat. Do not give anything by mouth if unconscious. Keep victim still and quiet. Give artificial respiration if victim is not breathing. Call a doctor immediately.

TOXICOLOGY:

Symptoms of poisoning include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivations, sweating, nausea, vomiting, diarrhea and abdominal cramps. If there are signs of parasympathetic stimulation, atropine sulphate should be injected at ten minute intervals, in doses of 1-2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continually for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

NOTICE TO USER:

This control product is to be used only in accordance with directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))