

96.01.15

CLEAN CROP(R)

FERBAM 7

Dust  
FUNGICIDE

COMMERCIAL

CAUTION POISON

READ THE LABEL BEFORE USING

GUARANTEE:

Ferbam ..... 7%

REGISTRATION NO. 16452  
PEST CONTROL PRODUCTS ACT

DIRECTIONS FOR USE

TOBACCO-For control of Blue Mold, dust at rate of 1 to 2 kg per 100 sq. metres depending upon size of plants. Increase rates as plants grow. Use either hand or powder duster. Begin when seedlings are the size of a dime and apply 2 to 3 times weekly until transplanting time.

BLUE BERRIES-For the control of certain leaf defoliating diseases, such as blossom blight and gray mold rot and for twig blight, apply at the rate of 22.5 kg per hectare, depending upon the size of the plants, making applications just before bloom. Additional applications up to mid bloom may be made 7-10 day intervals, depending on weather. Do not apply within 40 days of harvest.

Applications should be made when weather conditions are favourable for dusting. DO NOT apply to Blueberries after the berries begin to form. For specific uses under local conditions, contact your local Provincial or Federal agricultural authority, who have had experience with this type of material.

PRECAUTION

KEEP OUT OF REACH OF CHILDREN

Hazardous if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling, before eating, drinking or smoking and change to clean clothing. Do not apply or allow to drift to areas occupied by unprotected persons

and animals or to streams, lakes or ponds to protect wildlife. Avoid contamination of feed or food, including such crops on which residue is unsafe.

Keep away from heat, fire and sparks.

#### FIRST AID

If swallowed, induce vomiting repeat until vomit fluid is clear. Rush patient to nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water for 15 minutes and go to the nearest hospital at once.

#### STORAGE

Store product in a cool dry ventilated place away from feed and food.

#### DISPOSAL

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the clean-up of spills contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

February 1989

NET 10 kg

United Agri Products  
R.R. #2  
Dorchester, Ontario  
NOL 1G5

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))