

2000/2002
((Box))

DOMESTIC

250 mL

FREE
MEASURING CUP ENCLOSED

C I L

INSECTICIDE-FUNGICIDE

FOR VEGETABLES

DEECOP®

LIQUID SUSPENSION

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

REG. NO. 13723 P.C.P. ACT

WARNING - EYE IRRITANT

GUARANTEE:
carbaryl 180 g per litre
chlorothalonil 180 g per litre

NU-GRO CORPORATION
10 Craig Street
Brantford, ON N3R 7J1

KEEP BOX FOR DIRECTIONS

Insecticide Fungicide for Vegetables is specially formulated to control many insects and diseases on tomatoes, potatoes and some other vegetables. It is a flowable suspension of carbaryl (SEVIN (R)) insecticide and chlorothalonil fungicide, which mixes easily with water.

DIRECTIONS: 5 mL = 1 teaspoonful

SHAKE WELL BEFORE USING

Add the amounts indicated below to 1 litre of water and spray all foliage thoroughly. Start spraying when insects first

appear or when disease is reported or seen in the area, then spray again every 7 days.

TOMATOES, POTATOES: Early Blight, Late Blight, Anthracnose - Colorado Potato Beetle, Potato Flea Beetle, Leafhopper, Tomato Hornworm: Use 5 mL. Under severe disease conditions, shorten spray interval to 5 days. Do not apply within 7 days of harvest of potatoes and 1 day of harvest of tomatoes.

CUCUMBER, SQUASH, MELONS, PUMPKIN: Anthracnose, Powdery Mildew, Scab - Cucumber Beetle, Squash Bug, Flea Beetle, Leafhopper: Use 10 mL. Avoid spraying when foliage is wet or during periods of prolonged high humidity because leaf injury may occur. Do not apply within 3 days of harvest.

CARROTS: Early Blight, Leaf Spots - Leafhoppers: Use 5 mL. Do not apply within one day of harvest.

CELERY: Early and Late Blights, Leaf Spots - Leafhoppers: Use 5 mL. When insects or disease appear, apply every 7 days after plants are well established. Do not apply within 7 days of harvest.

PRECAUTIONS: Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin. Do not take internally. Wash thoroughly and remove contaminated clothing after handling or spraying. Do not contaminate ponds, lakes, streams and water supplies. Do not use where bees are foraging. Do not feed crop refuse to livestock. Do not spray when temperature is over 27°C or under poor drying conditions. Avoid excessive wetting of foliage, particularly with hose-end sprayers. Dispose of empty container with household garbage. Store above 0°C. **Keep children and pets away from treated area during application and until dry.**

HAZARD: The chlorothalonil fungicide in this formulation may produce temporary allergic side-effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Eye damage may be caused by the chlorothalonil fungicide in the undiluted contents of this container. Avoid contact with eyes.

FIRST AID: **If swallowed,** cause vomiting. Obtain medical attention immediately. **If concentrate is splashed or rubbed in eye,** flush with water for 15 minutes and get medical attention. **If on skin,** wash thoroughly with soap and water.

TOXICOLOGY: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine at 1-4 mg/kg intramuscular injection is antidotal followed by a further 2 mg every 20 minutes as necessary. P2S and 2-PAM are not effective. Allergic reactions should be reported to a physician. Affected persons respond to treatment with antihistamine or steroid creams and/or systemic steroids.

C-I-L and DEECOP are trademarks of ICI Canada Inc.
NU-GRO Corporation is a Registered User.

51015

0892

((LABEL))

DOMESTIC

Made in Canada

250 mL

C I L

INSECTICIDE-FUNGICIDE

FOR VEGETABLES

DEECOP(R)

LIQUID SUSPENSION

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND BOX BEFORE USING

REG. NO. 13723 P.C.P. ACT

WARNING - EYE IRRITANT

GUARANTEE: carbaryl 180 g per litre
chlorothalonil 180 g per litre

NU-GRO CORPORATION
Woodstock, Ontario
N4S 8P6
Laval, Quebec
H7S 1G3

Calgary, Alberta
T2H 2S1

KEEP BOX FOR DIRECTIONS

SAFE HANDLING INSTRUCTIONS

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin. Do not take internally. Wash thoroughly and remove contaminated clothing after handling or spraying. Do not contaminate ponds, lakes, streams and water supplies. Do not use where bees are foraging. Do not feed crop refuse to livestock. Do not spray when temperature is over 27°C or under poor drying conditions. Avoid excessive wetting of foliage, particularly with hose-end sprayers. Dispose of empty container with household garbage. Store above 0°C. **Keep children and pets away from treated area during application and until dry.**

HAZARD: The chlorothalonil fungicide in this formulation may produce temporary allergic side-effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Eye damage may be caused by the chlorothalonil fungicide in the undiluted contents of this container. Avoid contact with eyes.

FIRST AID: **If swallowed,** cause vomiting. Obtain medical attention immediately. **If concentrate is splashed or rubbed in eye,** flush with water for 15 minutes and get medical attention. **If on skin,** wash thoroughly with soap and water.

TOXICOLOGY: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine at 1-4 mg/kg intramuscular injection is antidotal followed by a further 2 mg every 20 minutes as necessary. P2S and 2-PAM are not effective. Allergic reactions should be reported to a physician. Affected persons respond to treatment with antihistamine or steroid creams and/or systemic steroids.

C-I-L and DEECOP are trademarks of ICI Canada Inc.
NU-GRO Corporation is a Registered User.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))