86.07.08

AQUAGUARD 640

WATER TREATMENT MICROBIOCIDE

FOR INDUSTRIAL USE ONLY

READ LABEL BEFORE USING

GUARANTEE: Potassium dimethyldithiocarbamate 12.5%

> REGISTRATION NO. 19467 PEST CONTROL PRODUCTS ACT

WARNING

POISON

CORROSIVE

NET CONTENTS LITRES

GUARDIAN CHEMICALS FORT SASKATCHEWAN, ALBERTA T8L 2T1

DIRECTIONS FOR USE

COOLING TOWER SYSTEMS

Prior to the use of AQUAGUARD 640 in water cooling towers, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 300 to 920 mLs of AQUAGUARD 640 per 10,000 litres of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 500 to 920 mLs of AQUAGUARD 640 per 10,000 litres of water every 1 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

INDUSTRIAL AIR WASHING SYSTEMS

Prior to the use of AQUAGUARD 640 in air washers, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 100-180 mLs of AQUAGUARD 640 per 1000 litres of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 100 to 180 mLs of AQUAGUARD 640 per 1000 litres of water every 1 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump or to the water collector trays.

PRECAUTION KEEP OUT OF REACH OF CHILDREN

For use only in systems equipped with effective mist eliminating components. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Do not reuse empty drum. Destroy by burying.

FIRST AID AND TOXICOLOGY: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg whites, milk, gruel, or flour and water. Then induce vomiting. Call a physician immediately. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))