93.06.17

BIKOE(R) PCO PEST CONTROL

ONE PERCENT DIAZINON INSECTICIDE

KILLS COCKROACHES, ANTS, FLEAS, CRICKETS,

SILVERFISH AND CARPET BEETLES.

DOMESTIC

GUARANTEE: DIAZINON 1%

REGISTRATION NO. 14569 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 4 L

DANGER POISON

BIKOE MANUFACTURING COMPANY LIMITED 392 QUEEN ST.E., TORONTO, ONTARIO M5A 1T3 TELEPHONE: (416)363-8821

DIRECTIONS FOR USE: SPRAY INFESTED SURFACES ONLY UNTIL WET.

FOR COCKROACHES, ANTS, SILVERFISH, CRICKETS: SPRAY HEAVILY IN ALL CRACKS, AROUND BASEBOARDS AND OTHER PLACES WHERE THESE INSECTS HIDE. ALSO SPRAY UNTIL WET, SURFACES BEHIND AND BENEATH CABINETS, REFRIGERATORS, SINKS, STOVES, ETC. USE ON OTHER LOCALIZED AREAS INFESTED WITH THESE PESTS. REPEAT TREATMENT AS REQUIRED.

FOR CARPET BEETLES: MAKE LOCALIZED APPLICATION TO AREAS OF THE FLOOR AND BASEBOARDS. SPRAY DIRECTLY INTO CRACKS AND UNDER CARPETS WHERE INSECTS MAY BE FOUND. TREAT CREVICES, CRACKS OR CLOSETS AND INFESTED AREAS OF SHELVING. REPEAT TREATMENT AS REQUIRED.

FOR FLEAS: THOROUGHLY APPLY SPRAY AS A SPOT TREATMENT TO

INFESTED AREAS SUCH AS PET BEDS AND RESTING QUARTERS, NEARBY CRACKS AND CREVICES, ALONG AND BEHIND BASEBOARDS AND LOCALIZED AREAS OF FLOOR AND FLOOR COVERINGS WHERE THESE PESTS MAY BE PRESENT. OLD BEDDING OF PETS SHOULD BE REMOVED AND REPLACED WITH CLEAN, FRESH BEDDING AFTER TREATMENT. DO NOT TREAT PETS WITH THIS PRODUCT.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH EYES, SKIN, CLOTHING AND AVOID INHALATION OF VAPOURS OR SPRAY MIST. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING, ETC. DO NOT APPLY TO PLANTS, ANIMALS OR HUMANS. REMOVE PETS AND FISHBOWLS FROM AREA BEFORE TREATMENT AND DO NOT RETURN THEM FOR AT LEAST 4 HOURS AFTER TREATMENT. DO NOT APPLY TO SURFACES THAT CHILDREN OR PETS MIGHT CONTACT. DO NOT CONTAMINATE FOODSTUFFS. DO NOT USE IN ANY AREA WHERE FOOD MAY BE DO NOT USE IN BULK FOOD STORAGE AREAS. DO NOT USE IN EXPOSED. CUPBOARDS WHERE FOOD OR COOKING UTENSILS ARE STORED. IN HOMES OR DWELLINGS, REMOVE OR COVER ALL EXPOSED FOOD AND COOKING UTENSILS BEFORE SPRAYING. THOROUGHLY WASH ALL SURFACES THAT MIGHT CONTACT FOOD BEFORE REUSE.

FIRST AID: THIS PRODUCT CONTAINS PETROLEUM DISTILLATES. IF INGESTED, DO NOT INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IMMEDIATELY TAKING THE PESTICIDE CONTAINER WITH YOU. IF ON SKIN, REMOVE CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY WITH SOAP AND WATER. IF IN EYES, FLUSH WITH WATER FOR 5-10 MINUTES AND OBTAIN MEDICAL ATTENTION.

TOXICOLOGICAL INFORMATION: DIAZINON IS A CHOLINESTERASE INHIBITOR. ATROPINE IS ANTIDOTAL. OBTAIN MEDICAL ATTENTION IMMEDIATELY, TAKING THE PESTICIDE CONTAINER WITH YOU.

DO NOT REUSE CONTAINER. DISPOSE OF EMPTY CONTAINER WITH HOUSEHOLD GARBAGE.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.