

2000/2002

GREENLEAF®

BENOMYL 50% W.P.

SYSTEMIC FUNGICIDE

MEASURING SCOOP ENCLOSED

CONTROLS CERTAIN DISEASES OF FRUITS, ROSES, FLOWERS,  
ORNAMENTALS, & LAWNS WITH GOOD RESIDUAL PROTECTIVE ACTION.

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

DOMESTIC

REG. NO. 15373 P.C.P.ACT.

GUARANTEE: Benomyl.....50%

NET CONTENT: 40 grams

Greenleaf Products Inc.,  
4650 Dawson Street  
Burnaby, B.C. V5C 5P8

DIRECTIONS:

NOTE: This container is not full. Enclosed scoop (level) holds  
1 gram Benomyl Fungicide. Mix thoroughly with water.

ROSES: To control Powdery Mildew and Black Spot.

CLEMATIS: To control Stem Rot, mix one level scoop per litre of  
water and drench soil and crown area at 2 - 3 week intervals, as  
required. Avoid treating cuttings which are being rooted.

WILLOW: To control Willow Blight (*Marssonina* spp.), mix one level scoop per litre of water and spray at bud break. Repeat 10 to 14 days thereafter as long as wet weather persists in spring.

FLOWERS & ORNAMENTALS: To control Powdery Mildew and Botrytis Grey Mold; use 1/2 level scoop per litre of water. Spray foliage when disease appears and repeat every 10 - 14 days as required, more often if wet conditions prevail.

BULBS & CORMS: To control Fusarium Basal Rot, add 2.5 scoops to a litre of warm water and agitate well. Soak clean bulbs for 30 minutes at 30 C within 2 days of digging (3 - 4 hours if done later).

LAWNS: To control Dollar Spot, Pink Snow Mold, Brown Patch; apply 50 scoops in 10 - 20 L of water to cover 100 m (10 x 10) when disease appears. Repeat every two weeks or as required.

FRUITS: Apples, Crabapples - To control scab, powdery mildew, sooty blotch; mix 2 - 3 level scoops per 10 L of water. Apply at green tip - 1 cm. green - and repeat at 7 - 14 day intervals if necessary. If an application is missed and an infection period has occurred, apply at the higher rate as soon as possible to deactivate scab and prevent further infection. Do not use on Golden Delicious, Rome or Stayman. May be applied up to day before harvest. Use low rate after 3rd cover spray. Pin Point Scab; apply mid - August and repeat if weather is wet.

Peaches, Apricots, Cherries, Plums: Mix at the rate of 4 scoops per 10 L of water and spray according to the following directions - May be applied up to day of harvest. To control Blossom Blight - apply at early bloom (20% of blossom open) and at full bloom.

Cherry Leaf Spot: Apply in petal fall, shuck, and cover sprays. Refer to your local Agricultural Branch for timing of application.

Powdery Mildew of Sour Cherries: Apply at first sign of foliage infection. A second spray 10 - 14 days later may be needed to control mildew on new terminal growth.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

May cause irritation. Avoid breathing dust, contact with skin, eyes or clothing. Wash after using. Keep closed - dampness will reduce chemical effectiveness. Keep away from flame. Store in a cool, dry, ventilated place away from feeds and foods. Wash thoroughly after handling and before eating, drinking or smoking. Do not contaminate

food, feed or any body of water.

FIRST AID: Flush eyes or skin with plenty of water for 10 minutes and get medical attention for eyes, if contacted. If swallowed, drink 1 - 2 glasses of water and induce vomiting till fluid is clear. Contact a doctor or poison control center.

DISPOSAL: Do not re-use empty container. Wrap container and discard with household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

® (CANADA) Registered Trade Mark of Greenleaf Products Inc.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))