

98.02.05

Roccal(R)

DISINFECTANT/DEODORIZER

10% Benzalkonium Chloride Solution U.S.P.

INDUSTRIAL

Bactericide

Fungicide

Algicide

Guarantee: n-Alkyl (C12 40%, C14 50%, C16 10%)
Dimethyl Benzyl Ammonium Chloride..... 10%

REGISTRATION NO: 16856

PEST CONTROL PRODUCTS ACT

DIN 00394955

NET CONTENTS

LOT NO.

DISTRIBUTED BY:
RECKITT & COLMAN CANADA INC.
TORONTO, CANADA M8Z 5M5

READ THE LABEL BEFORE USING

For use in Food Plants, Restaurants, Hospitals, Hotels,
Schools, Industry, Farms:

DIRECTIONS TO DISINFECT:

Egg Sanitization: Mix 2mL ROCCAL * Disinfectant/Deodorizer
with 1 Litre of water, (Equiv. 200 ppm of active quaternary).
If eggs are to be broken immediately rinse thoroughly with

potable water after use of ROCCAL.

Hand Sanitizing Dip: Mix 2mL ROCCAL with 1 Litre of water.
(Equiv. 200 ppm of active quaternary.)

For surfaces, first clean with a good detergent and rinse:
Deodorizing and General Sanitizing: Eating Utensils, Drinking
Glasses, Dairies, Dairy Farms and Food Processing Plant
Equipment.

Mix 2mL of ROCCAL Disinfectant/Deodorizer per 1 Litre of
water.
(Equiv. 200 ppm of active quaternary.)

General Disinfecting: Walls, Floors, Showers, Toilets, Animal
Shelters, Food Storage Areas, Refrigerators.

Mix 4mL of ROCCAL Disinfectant/Deodorizer per 1 Litre of
water.
(Equiv. 400 ppm of active quaternary.)

Heavy-Duty Disinfecting and Deodorizing:

Mix 8mL of ROCCAL Disinfectant/Deodorizer per 1 Litre of
water.
(Equiv. 800 ppm of active quaternary.)

Allow surface to remain wet for 10 minutes, then remove
excess liquid. Prepare a fresh solution for each use.

PRECAUTIONS

FOOD PROCESSING AND POULTRY INDUSTRIES

All surfaces subject to food contact must be thoroughly rinsed
with potable water after use of this product, EXCEPT when
ROCCAL is used at a concentration of not more than 200 ppm.
Avoid direct contact with food. Dilute with water - do not
mix with soaps or other chemicals. Keep out of reach of
children.

FIRST AID: In case of contact, immediately flush eyes or skin
with a large volume of water. For eyes, call a physician. If
swallowed drink promptly large volumes of milk, egg white or,
if not available, large volume of water. Call physician or
Poison Control Centre immediately.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER: This control product is to be used only in accordance with the directions of this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

*Registered Trade Mark used under License from Reckitt & Colman Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))