

95.07.10

BARDYKE CHEMICALS LTD

CUPROUS OXIDE

Class: MANUFACTURING

READ THE LABEL BEFORE USING

GUARANTEE:

Cuprous Oxide.....97%

REGISTRATION NO. 24147

PEST CONTROL PRODUCTS ACT

NET CONTENTS: 25 kg

Manufactured by:

Bardyke Chemicals Ltd,
Hamilton Road,
Cambuslang,
G72 7XJ,
Scotland

Canadian Agent:
Resurgo Ltd.,
404-134 Abbott Street,
Vancouver, B.C.
V6B 2K4

DIRECTIONS FOR USE

To be used only in the manufacture, formulation or repackaging of products which are registered under the Pest Control Products Act.

PRECAUTIONS

C Wear a face mask suitable for fine dust during handling. Wear

- chemical resistant gloves and footwear.
- C Keep out of reach of children.
 - C Use only in well ventilated places
 - C When handling do not eat, drink, or smoke
 - C Take a shower immediately after work. Wear freshly laundered clothes daily.
 - C Wash hands and face before eating, drinking, smoking and using the toilet.
 - C Store and wash all protective clothing separately from household laundry.
 - C Wash protective clothing in detergent and hot water before reuse.
 - C Toxic to aquatic organisms. Do not contaminate water. Do not apply directly to water by cleaning of equipment or disposal of wastes.

DISPOSAL

1. Completely empty bag into formulating equipment. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
2. Dispose of the container in accordance with provincial requirements.
3. For information on the disposal of unused, unwanted product and cleanup of spills, contact the regional office of Environment Canada.
4. For small spills vacuum into clean containers. Do not flush into surface streams. Inform Environment Canada as in 3.

FIRST AID

If splashed in eyes or on skin, flush thoroughly with water. For eye contact, get medical attention. If swallowed, drink 2 or 3 glasses of milk or water. Do not induce vomiting. Call a physician immediately.

TOXICOLOGICAL INFORMATION

May cause irritancy. Copper dusts may cause symptoms similar to the common cold with chills and stuffiness of the head. Long term overexposure may cause skin irritation or discolouration of the skin and hair. Ingestion may cause irritation, nausea, vomiting, abdominal pain, haemorrhagic gastritis and diarrhoea. Eye contact may cause conjunctivitis, corneal ulceration, turbidity and palpebral edema. Prolonged absorption of cuprous oxide may cause skin eruptions, dizziness, nausea, vomiting and nervous system disorders.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))